

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758

Foster™ 65-06

Version 1.0

Revision Date: 04.06.2024

18.06.2024

SDS Number: 10000030739 Print Date:

Date of last issue: -

Date of first issue: 04.06.2024

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name Foster™ 65-06

1.2 Relevant identified uses of the substance or mixture and uses advised against

Use of the Sub-

stance/Mixture

: Adhesive

Recommended restrictions

on use

: For industrial use only.

1.3 Details of the supplier of the safety data sheet

Company H.B. Fuller UK Ltd.

Address Globe Lane Industrial Estate

> Outram Road Dukinfield **SK16 4XE** Cheshire, UK

Telephone : +18883513523

Telefax +18005286079

E-mail address of person

responsible for the SDS

EU-MSDS@hbfuller.com

Distributed By:

Temati Rijnland 2

1948 RL Beverwijk The Netherlands

Phone: +31 (0) 251 22 91 72

1.4 Emergency telephone number

Emergency telephone number: In case of poisoning:

GBK-EMTEL International

Tel.(24h): +49(0)6132/84463 (all languages)



According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758

Foster™ 65-06

Version 1.0

Revision Date: 04.06.2024

Print Date: 18.06.2024 SDS Number: 10000030739

Date of last issue: -

Date of first issue: 04.06.2024

In case of transport accidents:

Tel.(24h): (001) 352 323 3500 (Infotrac - Contract ID: 90373 /

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008) as amended by GB-CLP Regulation, UK SI 2019/720, and UK SI 2020/1567)

Flammable liquids, Category 3

H226: Flammable liquid and vapour.

Germ cell mutagenicity, Category 1B

H340: May cause genetic defects.

Carcinogenicity, Category 1B

H350: May cause cancer.

Specific target organ toxicity - repeated

exposure, Category 2

H373: May cause damage to organs through pro-

longed or repeated exposure.

Aspiration hazard, Category 1

H304: May be fatal if swallowed and enters air-

ways.

Long-term (chronic) aquatic hazard, Cat-

egory 3

H412: Harmful to aquatic life with long lasting ef-

fects.

2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008) as amended by GB-CLP Regulation, UK SI 2019/720, and UK SI 2020/1567)

Hazard pictograms





Signal word Danger

Flammable liquid and vapour. Hazard statements H226

> H304 May be fatal if swallowed and enters airways.

May cause genetic defects. H340

H350 May cause cancer.



According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758

Foster™ 65-06

Version 1.0

Revision Date:

04.06.2024

Print Date:

SDS Number: 100000030739 Date of last issue: -

Date of first issue: 04.06.2024

18.06.2024

H373 May cause damage to organs through prolonged or

repeated exposure.

H412 Harmful to aquatic life with long lasting effects.

Precautionary statements

Prevention:

P201 Obtain special instructions before use.

Keep away from heat, hot surfaces, sparks, open P210

flames and other ignition sources. No smoking.

P260 Do not breathe mist or vapours.

Wear protective gloves/ protective clothing/ eye protec-

tion/ face protection/ hearing protection.

Response:

P301 + P310 IF SWALLOWED: Immediately call a POISON

CENTER/ doctor.

P308 + P313 IF exposed or concerned: Get medical advice/

attention.

P331 Do NOT induce vomiting.

P370 + P378 In case of fire: Use dry sand, dry chemical or

alcohol-resistant foam to extinguish.

Hazardous components which must be listed on the label:

Naphtha (petroleum), hydrotreated heavy (With a content of ≥ 0,1 % benzene (EC No 200-753-7))

Aromatic hydrocarbons, C9; Alkylbenzenes; C9-aromatics

Naphtha (petroleum), hydrodesulfurized heavy (With a content of ≥ 0,1 % benzene (EC No 200-753-7))

Additional Labelling

Restricted to professional users.

2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Components



According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758

Foster™ 65-06

Version Revision Date: 1.0 04.06.2024

04.06.2024 Print Date:

18.06.2024

Date: SDS Number: 100000030739

Date of last issue: -

Date of first issue: 04.06.2024

Chemical name	CAS-No.	Classification	Concentration
Onemical name	EC-No.	Classification	(% w/w)
	Index-No.		(/0 11/11/
	Registration number		
Naphtha (petroleum), hydrotreated	64742-48-9	Flam. Liq. 1; H224	>= 1 - < 10
heavy (With a content of ≥ 0,1 %	265-150-3	Muta. 1B; H340	
benzene (EC No 200-753-7))	649-327-00-6	Carc. 1B; H350	
,,,	01-2119486659-16-	Asp. Tox. 1; H304	
	0000	,	
Aromatic hydrocarbons, C9; Al-	128601-23-0	Flam. Liq. 3; H226	>= 2,5 - < 10
kylbenzenes; C9-aromatics	918-668-5	STOT SE 3; H336	,
	01-2119455851-35	(Central nervous	
		system)	
		STOT SE 3; H335	
		(Respiratory sys-	
		tem)	
		Asp. Tox. 1; H304	
		Aquatic Chronic 2;	
		H411	
Naphtha (petroleum), hydrodesulfu-	64742-82-1	Flam. Liq. 1; H224	>= 1 - < 10
rized heavy (With a content of ≥ 0,1	265-185-4	Muta. 1B; H340	
% benzene (EC No 200-753-7))	649-330-00-2	Carc. 1B; H350	
	01-2119484809-19-	STOT RE 1; H372	
	0000	(Central nervous	
		system)	
	07.50.4	Asp. Tox. 1; H304	4 0
methanol	67-56-1	Flam. Liq. 2; H225	>= 1 - < 3
	200-659-6	Acute Tox. 3; H301	
	603-001-00-X	Acute Tox. 3; H331	
	01-2119392409-28-	Acute Tox. 3; H311	
Overtennos varios and a company de	0000	STOT SE 1; H370	. 0.05 4
Quaternary ammonium compounds,	61789-77-3 263-087-6	Acute Tox. 4; H302	>= 0,25 - < 1
dicoco alkyldimethyl, chlorides	01-2119486994-16-	Skin Corr. 1B; H314	
	0000		
	0000	Aquatic Acute 1; H400	
diantimony trioxide	1309-64-4	Carc. 2; H351	>= 0,1 - < 1
dianumony inoxide	215-175-0	Oai6. 2, F1331	>= 0,1 - < 1
	051-005-00-X		
	01-2119475613-35-		
	0000		

For explanation of abbreviations see section 16.



According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758

Foster™ 65-06

Version 1.0

Revision Date:

04.06.2024

Print Date: 18.06.2024

SDS Number: 100000030739

er: Date of last issue: -

Date of first issue: 04.06.2024

SECTION 4: First aid measures

4.1 Description of first aid measures

General advice : If on clothes, remove clothes.

Move the victim to fresh air.

Show this safety data sheet to the doctor in attendance. Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the

accident.

If inhaled : Remove person to fresh air. If signs/symptoms continue, get

medical attention.

In case of unconsciousness bring patient into stable side posi-

tion for transport.

In case of skin contact : Wash off immediately with soap and plenty of water while

removing all contaminated clothes and shoes. If skin irritation persists, call a physician.

In case of eye contact : Flush eyes with water at least 15 minutes. Get medical atten-

tion if eye irritation develops or persists.

If swallowed : If accidentally swallowed obtain immediate medical attention.

Rinse mouth with water.

If conscious, drink plenty of water.

Do NOT induce vomiting.

If symptoms persist, call a physician.

4.2 Most important symptoms and effects, both acute and delayed

Risks : May be fatal if swallowed and enters airways.

May cause genetic defects.

May cause cancer.

May cause damage to organs through prolonged or repeated

exposure.

4.3 Indication of any immediate medical attention and special treatment needed

Treatment : No further relevant information available.



According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758

Foster™ 65-06

Version 1.0

Revision Date: 04.06.2024

Print Date: 18.06.2024 SDS Number:

100000030739

Date of last issue: -

Date of first issue: 04.06.2024

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media : Use extinguishing measures that are appropriate to local cir-

cumstances and the surrounding environment.

Water mist Foam Dry powder

Carbon dioxide (CO2)

Unsuitable extinguishing

media

: Water with a full water jet

5.2 Special hazards arising from the substance or mixture

fighting

Specific hazards during fire- : No further relevant information available.

5.3 Advice for firefighters

for firefighters

Special protective equipment : No special protective measures against fire required.

Further information In the event of fire, wear self-contained breathing apparatus.

Fire residues and contaminated fire extinguishing water must

be disposed of in accordance with local regulations.

Collect contaminated fire extinguishing water separately. This

must not be discharged into drains.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions Remove all sources of ignition.

Use personal protective equipment.

Use breathing protection against the effects of

fumes/dust/aerosol.

Evacuate personnel to safe areas. Ensure adequate ventilation.

6.2 Environmental precautions

Environmental precautions The product should not be allowed to enter drains, water



According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758

Foster™ 65-06

Version Revision Date: 1.0 04.06.2024

Print Date: 18.06.2024

SDS Number:

100000030739

Date of last issue: -

Date of first issue: 04.06.2024

courses or the soil.

Prevent the material from reaching sewage system, holes and

cellars

If the product contaminates rivers and lakes or drains inform

respective authorities.

6.3 Methods and material for containment and cleaning up

Methods for cleaning up : Soak up with inert absorbent material (e.g. sand, silica gel,

acid binder, universal binder, sawdust). Non-sparking tools should be used.

Ensure adequate ventilation.

Send for recovery or disposal in suitable containers.

Dispose of contaminated material as waste according to sec-

tion 13.

6.4 Reference to other sections

Refer to protective measures listed in sections 7 and 8., For disposal considerations see section 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Advice on safe handling : Avoid formation of dust and aerosols.

Use only with adequate ventilation. Take note of emission threshold. Use solvent-proof equipment.

Ensure that suitable extractors are available on processing

machines. Handle with care.

Keep eye wash bottle available on working place.

Avoid release to the environment.

Keep away from children.

Advice on protection against

fire and explosion

Keep product and empty container away from heat and sources of ignition. Do not smoke. Take measures to prevent the build up of electrostatic charge. May form explosive mixtures in air. Highly volatile, flammable constituents are released during processing. In the event of fire and/or explosion do not breathe fumes. Keep breathing equipment ready. Have fire extinguishing equipment ready in case of nearby fire.



According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758

Foster™ 65-06

Version Revision Date: 1.0 04.06.2024

Print Date: 18.06.2024

SDS Number: 100000030739

Date of last issue: -

Date of first issue: 04.06.2024

7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage areas and containers

: Keep dark, cool and dry. Store in cool place.

Further information on stor-

age conditions

Keep containers tightly closed in a dry, cool and wellventilated place. Store in a cool place. Heat will increase

pressure and may lead to the container exploding.

7.3 Specific end use(s)

Specific use(s) : No further relevant information available.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational Exposure Limits

Components	CAS-No.	Value type (Form of exposure)	Control parameters	Basis
methanol	67-56-1	TWA	200 ppm 266 mg/m3	GB EH40
	Further information: Can be absorbed through the skin. The assigned substances are those for which there are concerns that dermal absorption will lead to systemic toxicity.			
		STEL	250 ppm 333 mg/m3	GB EH40
	Further information: Can be absorbed through the skin. The assigned substances are those for which there are concerns that dermal absorption will lead to systemic toxicity.			
		TWA	200 ppm 260 mg/m3	2006/15/EC
	Further information: Indicative, Identifies the possibility of significant uptake through the skin			
diantimony trioxide	1309-64-4	TWA	0,5 mg/m3 (antimony)	GB EH40

Derived No Effect Level (DNEL):

Substance name	End Use	Exposure routes	Potential health ef-	Value
			fects	
Naphtha (petroleum), hydrotreated heavy (With a content of ≥	Workers	Eye contact	Local effects	



According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758

Foster™ 65-06

Version 1.0

Revision Date:

04.06.2024 Print Date:

18.06.2024

SDS Number: 100000030739

Date of last issue: -

Date of first issue: 04.06.2024

0,1 % benzene (EC No 200-753-7))				
, ,	General population	Eye contact	Local effects	
	General population	Inhalation	Local, long-term	178,57 mg/m
	Workers	Inhalation	Systemic, short-term	1286,4 mg/m
	General population	Inhalation	Systemic, short-term	1152 mg/m3
	Workers	Inhalation	Local, long-term	837,5 mg/m3
	Workers	Inhalation	Local, short-term	1066,67 mg/m3
	General population	Inhalation	Local, short-term	640 mg/m3
	General population	Inhalation	Systemic, long-term	900 mg/m3
	Workers	Inhalation	Systemic, long-term	1500 mg/m3
	Workers	Dermal	Systemic, long-term	300 mg/kg
	General population	Dermal	Systemic, long-term	300 mg/kg
	General population	Oral	Systemic, long-term	300 mg/kg
	General population	Dermal	Systemic, long-term	46 mg/kg
	General population	Inhalation	Systemic, long-term	185 mg/m3
	General population	Inhalation	Systemic, long-term	0,41 mg/m3
	General population	Oral	Systemic, long-term	46 mg/kg
	Workers	Inhalation	Systemic, long-term	1,9 mg/m3
	Workers	Dermal	Systemic, long-term	77 mg/kg
	Workers	Inhalation	Systemic, long-term	871 mg/m3
Aromatic hydrocar- bons, C9; Alkylben- zenes; C9-aromatics	General population	Inhalation	Systemic, long-term	32 mg/m3
	Workers	Inhalation	Systemic, long-term	150 mg/m3
	General population	Dermal	Systemic, long-term	11 mg/kg
	Workers	Dermal	Systemic, long-term	25 mg/kg
	General population	Oral	Systemic, long-term	11 mg/kg
	1,07	1	1 1 1 11	+

Eye contact

Local effects

Workers



According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758

Foster™ 65-06

Version 1.0

Revision Date:

SDS Number: 100000030739 04.06.2024

Date of last issue: -

Date of first issue: 04.06.2024

Print Date: 18.06.2024

ı	١	1 =	1	Î
	General popu- lation	Eye contact	Local effects	
Naphtha (petroleum), hydrodesulfurized heavy (With a content of ≥ 0,1 % benzene (EC No 200-753-7))	General population	Inhalation	Local, long-term	178,57 mg/m3
	General population	Inhalation	Systemic, short-term	1152 mg/m3
	General population	Inhalation	Local, short-term	640 mg/m3
	Workers	Inhalation	Local, short-term	1066,67 mg/m3
	Workers	Inhalation	Systemic, short-term	1286,4 mg/m3
	Workers	Inhalation	Local, long-term	837,5 mg/m3
	Workers	Inhalation	Systemic, long-term	1,9 mg/m3
	General population	Inhalation	Systemic, long-term	0,41 mg/m3
	Workers	Eye contact	Local effects	
	General population	Eye contact	Local effects	
methanol	Workers	Eye contact	Local effects	
	Workers	Dermal	Systemic, short-term	20 mg/kg
	Workers	Inhalation	Systemic, short-term	130 mg/m3
	Workers	Inhalation	Local, short-term	130 mg/m3
	Workers	Inhalation	Systemic, long-term	130 mg/m3
	Workers	Inhalation	Local, long-term	130 mg/m3
	Workers	Dermal	Systemic, long-term	20 mg/kg
diantimony trioxide	Workers	Eye contact	Local effects	
	Workers	Inhalation	Local, long-term	0,315 mg/m3
	Workers	Dermal	Systemic, long-term	67 mg/kg

Predicted No Effect Concentration (PNEC):

Substance name	Environmental Compartment Value		
methanol	Sewage treatment plant	100 mg/l	
	Fresh water sediment	77 mg/kg	
	Fresh water	20,8 mg/l	
	Marine sediment	7,7 mg/kg	
	Marine water	2,08 mg/l	
	Soil	100 mg/kg	
diantimony trioxide	Soil	44,3 mg/kg	
	Fresh water sediment	13,4 mg/kg	
	Marine water	0,013 mg/l	



According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758

Foster™ 65-06

Version Revision Date: 1.0 04.06.2024

04.06.2024 Print Date: 18.06.2024

Date: SDS Number: 100000030739

Date of last issue: -

Date of first issue: 04.06.2024

Sewage treatment plant	3,05 mg/l
Fresh water	0,135 mg/l
Marine sediment	2,68 mg/kg

8.2 Exposure controls

Engineering measures

Please take care on national and local requirements.

Personal protective equipment

Eye protection : Tightly fitting safety goggles

Hand protection

Remarks

The glove material has to be impermeable and resistant to

the product/the substance/the preparation.

The exact break through time can be obtained from the protective glove producer and this has to be observed.

The gloves need to be disposed after the penetration time

and replaced by new ones.

Apply skin protectant before working with gloves to avoid skin swellings and use a skin cleansing and skincare product after

the work.

For the permanent contact gloves made of the following materials are suitable:

If longer exposure to the chemical preparation is necessary, a sturdy overglove against mechanical strain is recommended in combination with the Barrier 02-100 underglove from Ansell or other suppliers (penetration time: 480 min).

For the permanent contact of a maximum of 15 minutes gloves made of the following materials are suitable:

Butyl rubber (minimum thickness: 0.7 mm; penetration time: 15 min)

As protection from splashes gloves made of the following materials are suitable:

Nitril (minimum thickness 0.12 mm), Disposable gloves with



According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758

Foster™ 65-06

Version 1.0

Revision Date: 04.06.2024

Print Date: 18.06.2024 SDS Number:

100000030739

Date of last issue: -

Date of first issue: 04.06.2024

long cuffs

After contact with the chemical preparation, take the disposable nitrile glove off immediately and put on a new disposable

nitrile glove.

Skin and body protection

Protective clothing

Respiratory protection

Use respiratory protection unless adequate risk management measures (exhaust/ ventilation) are provided or exposure assessment demonstrates that exposures are within recom-

mended exposure guidelines.

In case of brief exposure or low pollution (exceeding of TLV)

use breathing filter apparatus.

In case of intensive or longer exposure use breathing appa-

ratus that is independent of circulating air.

Ensure that suitable extractors are available on processing

machines.

Filter type

Organic vapour type (A)

Protective measures

Keep away from food, drink and animal feedingstuffs. Instantly remove any soiled and impregnated garments.

Wash hands before breaks and immediately after handling the

product.

Avoid contact with the eyes and skin. Store protective clothing separately.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Appearance liquid

Colour black

Odour Characteristic

Odour Threshold is not determined

pΗ substance/mixture is non-polar/aprotic



According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758

Foster™ 65-06

Version 1.0

Revision Date: 04.06.2024

Print Date: 18.06.2024 SDS Number:

100000030739

Date of last issue: -

Date of first issue: 04.06.2024

Melting point/freezing point is not determined

Flash point 43 °C

Evaporation rate : is not determined

Relative vapour density is not determined

Density 1,2 g/cm³

Solubility(ies)

Water solubility insoluble

not miscible or difficult to mix

Partition coefficient: n-

octanol/water

: no data available

Auto-ignition temperature

is not determined

Decomposition temperature

: Not applicable

Explosive properties

Product is not explosive. However, formation of explosive

vapour/air mixtures is possible.

9.2 Other information

No data available

SECTION 10: Stability and reactivity

10.1 Reactivity

No further relevant information available.

10.2 Chemical stability

No decomposition if used according to the specifications.

10.3 Possibility of hazardous reactions

Hazardous reactions : Develops readily flammable vapours/fumes.

10.4 Conditions to avoid



According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758

Foster™ 65-06

Version Revision Date: 1.0 04.06.2024

> Print Date: 18.06.2024

SDS Number: Date of last issue: -100000030739

Date of first issue: 04.06.2024

: No further relevant information available. Conditions to avoid

10.5 Incompatible materials

Materials to avoid : No further relevant information available.

10.6 Hazardous decomposition products

No hazardous decomposition products are known.

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Acute toxicity

Not classified due to lack of data.

Product:

: Acute toxicity estimate: > 2.000 mg/kg Acute oral toxicity

Method: Calculation method

: Acute toxicity estimate: > 20 mg/l Acute inhalation toxicity

Exposure time: 4 Hours Test atmosphere: vapour Method: Calculation method

Acute dermal toxicity Acute toxicity estimate: > 2.000 mg/kg

Method: Calculation method

Skin corrosion/irritation

Not classified due to lack of data.

Serious eye damage/eye irritation

Not classified due to lack of data.

Respiratory or skin sensitisation

Skin sensitisation

Not classified due to lack of data.

Respiratory sensitisation

Not classified due to lack of data.



According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758

Foster™ 65-06

Version Revision Date: 1.0 04.06.2024

Print Date: 18.06.2024

SDS Number: 100000030739

Date of last issue: -

Date of first issue: 04.06.2024

Germ cell mutagenicity

May cause genetic defects.

Carcinogenicity

May cause cancer.

Reproductive toxicity

Not classified due to lack of data.

STOT - single exposure

Not classified due to lack of data.

STOT - repeated exposure

May cause damage to organs through prolonged or repeated exposure.

Aspiration toxicity

May be fatal if swallowed and enters airways.

SECTION 12: Ecological information

12.1 Toxicity

Components:

Naphtha (petroleum), hydrotreated heavy (With a content of ≥ 0,1 % benzene (EC No 200-753-7)):

Toxicity to fish : LC50 (Pimephales promelas (fathead minnow)): 2.200 mg/l

Exposure time: 96 Hours Test Type: static test

Toxicity to daphnia and other :

aquatic invertebrates

EC50 (Daphnia (water flea)): 2,6 mg/l

Exposure time: 96 Hours Test Type: static test

Naphtha (petroleum), hydrodesulfurized heavy (With a content of ≥ 0,1 % benzene (EC No 200-753-7)):

Toxicity to daphnia and other :

aquatic invertebrates

EC50 (Daphnia (water flea)): 2,6 mg/l

Exposure time: 96 Hours Test Type: static test

diantimony trioxide:

Toxicity to fish : LC50 (Pimephales promelas (fathead minnow)): > 80 mg/l

Exposure time: 96 Hours



According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758

Foster™ 65-06

Version 1.0 Revision Date: 04.06.2024

04.06.2024 Print Date: 18.06.2024 SDS Number:

100000030739

Date of last issue: -

Date of first issue: 04.06.2024

Test Type: static test

12.2 Persistence and degradability

No data available

12.3 Bioaccumulative potential

Components:

methanol:

Partition coefficient: n-

octanol/water

: log Pow: -0,77

12.4 Mobility in soil

Product:

Mobility : Medium: Soil

Remarks: Do not allow product to reach ground water, water

bodies or sewage system.

12.5 Results of PBT and vPvB assessment

Product:

Assessment : This substance/mixture contains no components considered

to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of

0.1% or higher.

12.6 Other adverse effects

Product:

Endocrine disrupting poten-

tial

This substance/mixture does not contain components considered to have endocrine disrupting properties for environment

according to UK REACH Article 57(f).

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product : Do not dispose of with domestic refuse.



According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758

Foster™ 65-06

Version 1.0

Revision Date: 04.06.2024

Print Date: 18.06.2024 SDS Number:

100000030739

Date of last issue: -

Date of first issue: 04.06.2024

Do not dispose of waste into sewer.

Hand over to disposers of hazardous waste.

The generation of waste should be avoided or minimized

wherever possible.

Incinerate under controlled conditions in accordance with all

local and national laws and regulations.

Disposal must be made according to official regulations.

Contaminated packaging Disposal must be made according to official regulations.

SECTION 14: Transport information

14.1 UN number

ADN **UN 1139 ADR** UN 1139 **RID UN 1139 IMDG UN 1139** IATA **UN 1139**

14.2 UN proper shipping name

ADN COATING SOLUTION **ADR COATING SOLUTION** RID **COATING SOLUTION IMDG COATING SOLUTION**

IATA Coating solution

14.3 Transport hazard class(es)

ADN 3 **ADR** 3 **RID** 3 **IMDG** 3 **IATA** 3

14.4 Packing group



According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758

Foster™ 65-06

Version Re

Revision Date: 04.06.2024 Print Date:

18.06.2024

SDS Number: 100000030739

Date of last issue: -

Date of first issue: 04.06.2024

ADN

Packing group : III
Classification Code : F1
Hazard Identification Number : 30
Labels : 3

ADR

Packing group : III
Classification Code : F1
Hazard Identification Number : 30
Labels : 3
Tunnel restriction code : (D/E)

RID

Packing group : III
Classification Code : F1
Hazard Identification Number : 30
Labels : 3

IMDG

Packing group : III Labels : 3

EmS Code : F-E, <u>S-E</u>

IATA (Cargo)

Packing group : II

Labels : Flammable Liquids

IATA_P (Passenger)

Packing group : III

Labels : Flammable Liquids

14.5 Environmental hazards

ADN

Environmentally hazardous : no

ADR

Environmentally hazardous : no

rid

Environmentally hazardous : no

IMDG

Marine pollutant : no



According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758

Foster™ 65-06

Version **Revision Date:**

04.06.2024 1.0

Print Date: 18.06.2024 SDS Number: Date of last issue: -100000030739

Date of first issue: 04.06.2024

14.6 Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

14.7 Transport in bulk according to Annex II of Marpol and the IBC Code

Not applicable for product as supplied.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Relevant EU provisions transposed through retained EU law

REACH - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles (Annex XVII)

Conditions of restriction for the following entries should be considered: Number on list 75, 3

Naphtha (petroleum), hydrotreated heavy (With a content of ≥ 0,1 % benzene (EC No 200-753-7)) (Number on list 29, 28) Naphtha (petroleum), hydrodesulfurized heavy (With a content of ≥ 0,1 % benzene (EC No 200-753-7)) (Number on list 29, 28) diantimony trioxide

methanol (Number on list 69) Naphtha (petroleum), hydrotreated heavy (With a content of ≥ 0,1 % benzene (EC No 200-753-7)) (Number on list 29, 28) Naphtha (petroleum), hydrodesulfu-

rized heavy (With a content of ≥ 0,1 % benzene (EC No 200-753-7))

(Number on list 29, 28)

REACH - Candidate List of Substances of Very High

Concern for Authorisation (SVHC, Article 59)

Not applicable

Regulation (EC) 2024/590 on substances that deplete Not applicable



According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758

Foster™ 65-06

Version **Revision Date:** 1.0

04.06.2024 Print Date: 18.06.2024

SDS Number: 100000030739 Date of last issue: -

Date of first issue: 04.06.2024

the ozone layer

Regulation (EU) 2019/1021 on persistent organic pollu-

tants (recast)

RoHS: 2011/65/EU, Restriction of Hazardous Substanc-

Council Regulation (EC) No 273/2004 on drug precur-

sors

Council Regulation (EC) No 111/2005 laying down rules for the monitoring of trade between the Community and

third countries in drug precursors

Regulation (EU) No 649/2012 of the European Parliament and the Council concerning the export and import of dangerous chemicals

UK REACH List of substances subject to authorisation

(Annex XIV)

Not applicable

Not applicable

Not applicable

Neither banned nor restricted

Not applicable

Not applicable

Seveso III: Directive 2012/18/EU of the European Parliament and of the Council on the control of major-accident hazards involving dangerous substances.

FLAMMABLE LIQUIDS P5c

22 Methanol

Volatile organic compounds Directive 2010/75/EU of 24 November 2010 on industrial

emissions (integrated pollution prevention and control)

Volatile organic compounds (VOC) content: 3 %

The components of this product are reported in the following inventories:

REACH On the inventory, or in compliance with the inventory

15.2 Chemical safety assessment

No Chemical Safety Assessment has been carried out for this mixture.



According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758

Foster™ 65-06

Version Revision Date: SDS Number: Date of last issue: -

1.0 04.06.2024 100000030739 Date of first issue: 04.06.2024

Print Date: 18.06.2024

SECTION 16: Other information

Full text of H-Statements

H224 : Extremely flammable liquid and vapour.
H225 : Highly flammable liquid and vapour.
H226 : Flammable liquid and vapour.

H301 : Toxic if swallowed. H302 : Harmful if swallowed.

H304 : May be fatal if swallowed and enters airways.

H311 : Toxic in contact with skin.

H314 : Causes severe skin burns and eye damage.

H331 : Toxic if inhaled.

H335 : May cause respiratory irritation. H336 : May cause drowsiness or dizziness.

H340 : May cause genetic defects.

H350 : May cause cancer.

H351 : Suspected of causing cancer. H370 : Causes damage to organs.

H372 : Causes damage to organs through prolonged or repeated

exposure.

H400 : Very toxic to aquatic life.

H411 : Toxic to aquatic life with long lasting effects.

Full text of other abbreviations

Acute Tox. : Acute toxicity

Aquatic Acute : Short-term (acute) aquatic hazard
Aquatic Chronic : Long-term (chronic) aquatic hazard

Asp. Tox. : Aspiration hazard
Carc. : Carcinogenicity
Flam. Liq. : Flammable liquids
Muta. : Germ cell mutagenicity
Skin Corr. : Skin corrosion

STOT RE : Specific target organ toxicity - repeated exposure STOT SE : Specific target organ toxicity - single exposure 2006/15/EC : Europe. Indicative occupational exposure limit values

GB EH40 : UK. EH40 WEL - Workplace Exposure Limits

2006/15/EC / TWA : Limit Value - eight hours

GB EH40 / TWA : Long-term exposure limit (8-hour TWA reference period)
GB EH40 / STEL : Short-term exposure limit (15-minute reference period)

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - Agreement concerning the International Carriage of Dangerous Goods by Road; AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Test-



According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758

Foster™ 65-06

Version **Revision Date:** 1.0

04.06.2024

SDS Number: 100000030739 Date of last issue: -

Date of first issue: 04.06.2024

Print Date: 18.06.2024

ing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA -European Chemicals Agency; EC-Number - European Community number; ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; SVHC - Substance of very high concern; TCSI - Taiwan Chemical Substance Inventory; TECI -Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

Further information

Other information This safety datasheet only contains information relating to

safety and does not replace any product information or prod-

uct specification.

Prepared by: Global Regulatory Department **Contact Point**

EU-MSDS@hbfuller.com

Classification of the mixture:

Classification procedure:

Flam. Liq. 3 H226 Based on product data or assessment

Muta. 1B H340 Calculation method



According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758

Foster™ 65-06

Version Revision Date: SDS Number: Date of last issue: 1.0 04.06.2024 100000030739 Date of first issue: 04.06.2024

Print Date: 18.06.2024

Carc. 1B H350 Calculation method STOT RE 2 H373 Calculation method Asp. Tox. 1 H304 Calculation method Aquatic Chronic 3 H412 Calculation method

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

GB / EN