

## SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by  
UK REACH Regulations SI 2019/758

### Foster™ 60-39

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	18.04.2023	100000018434	Date of first issue: 18.04.2023

---

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

### 1.1 Product identifier

Trade name : Foster™ 60-39  
Product code : Foster™ 60-39

### 1.2 Relevant identified uses of the substance or mixture and uses advised against

Use of the Sub-  
stance/Mixture : Coating  
Recommended restrictions  
on use : For industrial use only.

### 1.3 Details of the supplier of the safety data sheet

Company : H.B. Fuller, Isar-Rakoll, S.A.  
Address : Estrada Nacional 13  
PT-4486-851 Mindelo - Vila do Conde  
+351 229 288 200  
Telephone : +448883513523  
Telefax : +448005286079  
E-mail address of person  
responsible for the SDS : EU-MSDS@hbfuller.com

#### Distributed By:

Temati  
Rijnland 2  
1948 RL Beverwijk  
The Netherlands

Phone: +31 (0) 251 22 91 72

### 1.4 Emergency telephone number

Emergency telephone number : +44 1235 239 670 (24 hours)

## SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758

### Foster™ 60-39

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	18.04.2023	100000018434	Date of first issue: 18.04.2023

## SECTION 2: Hazards identification


### 2.1 Classification of the substance or mixture

**Classification (REGULATION (EC) No 1272/2008) as amended by GB-CLP Regulation, UK SI 2019/720, and UK SI 2020/1567)**

Flammable liquids, Category 3	H226: Flammable liquid and vapour.
Specific target organ toxicity - single exposure, Category 3, Central nervous system	H336: May cause drowsiness or dizziness.
Specific target organ toxicity - single exposure, Category 3, Respiratory system	H335: May cause respiratory irritation.
Long-term (chronic) aquatic hazard, Category 2	H411: Toxic to aquatic life with long lasting effects.

### 2.2 Label elements

**Labelling (REGULATION (EC) No 1272/2008) as amended by GB-CLP Regulation, UK SI 2019/720, and UK SI 2020/1567)**

Hazard pictograms	:	
Signal word	:	Warning
Hazard statements	:	H226 Flammable liquid and vapour. H335 May cause respiratory irritation. H336 May cause drowsiness or dizziness. H411 Toxic to aquatic life with long lasting effects.
Supplemental Hazard Statements	:	EUH066 Repeated exposure may cause skin dryness or cracking.
Precautionary statements	:	<b>Prevention:</b> P280 Wear protective gloves/ protective clothing/ eye protection/ face protection/ hearing protection. <b>Response:</b> P303 + P361 + P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or show-

## SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758

### Foster™ 60-39

Version 1.0	Revision Date: 18.04.2023	SDS Number: 100000018434	Date of last issue: - Date of first issue: 18.04.2023
----------------	------------------------------	-----------------------------	--

er.

#### Storage:

P403 + P233 Store in a well-ventilated place. Keep container tightly closed.  
P405 Store locked up.

#### Disposal:

P501 Dispose of contents/ container to an approved facility in accordance with local, regional, national and international regulations.

#### Hazardous components which must be listed on the label:

Hydrocarbons C9, aromatics

#### Additional Labelling

EUH208 Contains 2,2'-[(1-methylethylidene)bis(4,1-phenyleneoxymethylene)]bisoxirane, tris(nonylphenyl) phosphite. May produce an allergic reaction.

### 2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

## SECTION 3: Composition/information on ingredients

### 3.2 Mixtures

#### Components

Chemical name	CAS-No. EC-No. Index-No. Registration number	Classification	Concentration (% w/w)
Hydrocarbons C9, aromatics	64742-95-6 265-199-0 649-356-00-4 01-2119455851-35-0000	Flam. Liq. 3; H226 STOT SE 3; H336 (Central nervous system) STOT SE 3; H335 (Respiratory system) Asp. Tox. 1; H304 Aquatic Chronic 2; H411	>= 50 - < 100
2-(propyloxy)ethanol	2807-30-9 220-548-6 603-095-00-2	Acute Tox. 4; H312 Eye Irrit. 2; H319	>= 1 - < 3
diantimony trioxide	1309-64-4	Carc. 2; H351	< 1

## SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758

### Foster™ 60-39

Version 1.0      Revision Date: 18.04.2023      SDS Number: 100000018434      Date of last issue: -  
Date of first issue: 18.04.2023

	215-175-0 051-005-00-X 01-2119475613-35-0000		
tris(nonylphenyl) phosphite	26523-78-4 247-759-6 015-202-00-4	Skin Sens. 1; H317 Aquatic Acute 1; H400 Aquatic Chronic 1; H410	< 1
2,2'-[(1-methylethylidene)bis(4,1-phenyleneoxymethylene)]bisoxirane	1675-54-3 216-823-5 603-073-00-2 01-2119456619-26-0000	Skin Irrit. 2; H315 Eye Irrit. 2; H319 Skin Sens. 1; H317 Aquatic Chronic 2; H411	< 1

For explanation of abbreviations see section 16.

## SECTION 4: First aid measures

### 4.1 Description of first aid measures

- General advice : If on clothes, remove clothes.  
Move the victim to fresh air.  
Show this safety data sheet to the doctor in attendance.  
Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.
- If inhaled : Remove person to fresh air. If signs/symptoms continue, get medical attention.  
In case of unconsciousness bring patient into stable side position for transport.
- In case of skin contact : Wash off immediately with soap and plenty of water while removing all contaminated clothes and shoes.  
If skin irritation persists, call a physician.
- In case of eye contact : Flush eyes with water at least 15 minutes. Get medical attention if eye irritation develops or persists.
- If swallowed : If accidentally swallowed obtain immediate medical attention.  
Rinse mouth with water.

## SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by  
UK REACH Regulations SI 2019/758

### Foster™ 60-39

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	18.04.2023	100000018434	Date of first issue: 18.04.2023

---

If conscious, drink plenty of water.  
Do NOT induce vomiting.  
If symptoms persist, call a physician.

#### 4.2 Most important symptoms and effects, both acute and delayed

None known.

#### 4.3 Indication of any immediate medical attention and special treatment needed

Treatment : No further relevant information available.

---

## SECTION 5: Firefighting measures

### 5.1 Extinguishing media

Suitable extinguishing media : Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.  
Water mist  
Foam  
Dry powder  
Carbon dioxide (CO<sub>2</sub>)

Unsuitable extinguishing media : Water with a full water jet

### 5.2 Special hazards arising from the substance or mixture

Specific hazards during fire-fighting : No further relevant information available.

### 5.3 Advice for firefighters

Special protective equipment for firefighters : No special protective measures against fire required.

Further information : In the event of fire, wear self-contained breathing apparatus. Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations. Collect contaminated fire extinguishing water separately. This must not be discharged into drains.

---

## SECTION 6: Accidental release measures

### 6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions : Remove all sources of ignition.  
Use personal protective equipment.  
Use breathing protection against the effects of

---

## SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758

### Foster™ 60-39

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	18.04.2023	100000018434	Date of first issue: 18.04.2023

---

fumes/dust/aerosol.  
Evacuate personnel to safe areas.  
Ensure adequate ventilation.

#### 6.2 Environmental precautions

Environmental precautions : The product should not be allowed to enter drains, water courses or the soil.  
Prevent the material from reaching sewage system, holes and cellars.  
If the product contaminates rivers and lakes or drains inform respective authorities.

#### 6.3 Methods and material for containment and cleaning up

Methods for cleaning up : Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust).  
Non-sparking tools should be used.  
Ensure adequate ventilation.  
Send for recovery or disposal in suitable containers.  
Dispose of contaminated material as waste according to section 13.

#### 6.4 Reference to other sections

Refer to protective measures listed in sections 7 and 8., For disposal considerations see section 13.

---

## SECTION 7: Handling and storage

#### 7.1 Precautions for safe handling

Advice on safe handling : Avoid formation of dust and aerosols.  
Use only with adequate ventilation.  
Take note of emission threshold.  
Use solvent-proof equipment.  
Ensure that suitable extractors are available on processing machines.  
Handle with care.  
Keep eye wash bottle available on working place.  
Avoid release to the environment.  
Keep away from children.

Advice on protection against fire and explosion : Keep product and empty container away from heat and sources of ignition. Do not smoke. Take measures to prevent the build up of electrostatic charge. May form explosive mixtures in air. Highly volatile, flammable constituents are released during processing. In the event of fire and/or explosion do not breathe fumes. Keep breathing equipment ready. Have fire extinguishing equipment ready in case of nearby fire.

## SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758

### Foster™ 60-39

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	18.04.2023	100000018434	Date of first issue: 18.04.2023

#### 7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage areas and containers : Keep dark, cool and dry. Store in cool place.

Further information on storage conditions : Keep containers tightly closed in a dry, cool and well-ventilated place. Store in a cool place. Heat will increase pressure and may lead to the container exploding.

#### 7.3 Specific end use(s)

Specific use(s) : No further relevant information available.

## SECTION 8: Exposure controls/personal protection

### 8.1 Control parameters

#### Occupational Exposure Limits

Components	CAS-No.	Value type (Form of exposure)	Control parameters	Basis
diantimony trioxide	1309-64-4	TWA	0,5 mg/m <sup>3</sup> (antimony)	GB EH40
	Further information: Where no specific short-term exposure limit is listed, a figure three times the long-term exposure limit should be used.			
		TWA	0,5 mg/m <sup>3</sup> (antimony)	GB EH40
	Further information: Where no specific short-term exposure limit is listed, a figure three times the long-term exposure limit should be used.			

### 8.2 Exposure controls

#### Engineering measures

Please take care on national and local requirements.

#### Personal protective equipment

Eye protection : Tightly fitting safety goggles

Hand protection

Remarks : The glove material has to be impermeable and resistant to the product/the substance/the preparation.  
The exact break through time can be obtained from the pro-

## SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758

### Foster™ 60-39

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	18.04.2023	100000018434	Date of first issue: 18.04.2023

---

protective glove producer and this has to be observed.  
The gloves need to be disposed after the penetration time and replaced by new ones.  
Apply skin protectant before working with gloves to avoid skin swellings and use a skin cleansing and skincare product after the work.

**For the permanent contact gloves made of the following materials are suitable:**

If longer exposure to the chemical preparation is necessary, a sturdy overglove against mechanical strain is recommended in combination with the Barrier 02-100 underglove from Ansell or other suppliers (penetration time: 480 min).

**For the permanent contact of a maximum of 15 minutes gloves made of the following materials are suitable:**

Butyl rubber (minimum thickness: 0.7 mm; penetration time: 15 min)

**As protection from splashes gloves made of the following materials are suitable:**

Nitril (minimum thickness 0.12 mm), Disposable gloves with long cuffs

After contact with the chemical preparation, take the disposable nitrile glove off immediately and put on a new disposable nitrile glove.

- Skin and body protection : Protective clothing
- Respiratory protection : Use respiratory protection unless adequate risk management measures (exhaust/ ventilation) are provided or exposure assessment demonstrates that exposures are within recommended exposure guidelines.  
In case of brief exposure or low pollution (exceeding of TLV) use breathing filter apparatus.  
In case of intensive or longer exposure use breathing apparatus that is independent of circulating air.  
Ensure that suitable extractors are available on processing machines.
- Protective measures : Keep away from food, drink and animal feedingstuffs.  
Instantly remove any soiled and impregnated garments.  
Wash hands before breaks and immediately after handling the product.  
Avoid contact with the eyes and skin.



## SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758

### Foster™ 60-39

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	18.04.2023	100000018434	Date of first issue: 18.04.2023

---

Store protective clothing separately.

---

## SECTION 9: Physical and chemical properties

### 9.1 Information on basic physical and chemical properties

Appearance	:	viscous liquid
Colour	:	grey
Odour	:	characteristic
Odour Threshold	:	is not determined
pH	:	7
Melting point/freezing point	:	is not determined
Initial boiling point and boiling range	:	165 - 181 °C
Flash point	:	50 °C
Evaporation rate	:	is not determined
Upper explosion limit / Upper flammability limit	:	Upper explosion limit 7 %(V)
Lower explosion limit / Lower flammability limit	:	Lower explosion limit 1 %(V)
Vapour pressure	:	< 10 hPa (20 °C) 13 hPa (50 °C)
Relative vapour density	:	is not determined
Solubility(ies) Water solubility	:	not miscible or difficult to mix
Partition coefficient: n-octanol/water	:	no data available
Auto-ignition temperature	:	190 °C
Decomposition temperature	:	Not applicable

## SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758

### Foster™ 60-39

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	18.04.2023	100000018434	Date of first issue: 18.04.2023

---

Viscosity  
Viscosity, dynamic : 65.000 mPa.s (20 °C)  
Viscosity, kinematic : > 20,5 mm<sup>2</sup>/s (40 °C)  
Explosive properties : Product is not explosive. However, formation of explosive vapour/air mixtures is possible.

#### 9.2 Other information

No data available

---

### SECTION 10: Stability and reactivity

#### 10.1 Reactivity

No further relevant information available.

#### 10.2 Chemical stability

No decomposition if used according to the specifications.

#### 10.3 Possibility of hazardous reactions

Hazardous reactions : Develops readily flammable vapours/fumes.

#### 10.4 Conditions to avoid

Conditions to avoid : No further relevant information available.

#### 10.5 Incompatible materials

Materials to avoid : No further relevant information available.

#### 10.6 Hazardous decomposition products

No hazardous decomposition products are known.

---

### SECTION 11: Toxicological information

#### 11.1 Information on toxicological effects

##### Acute toxicity

##### Product:

Acute oral toxicity : Based on available data, the classification criteria are not met.

Acute inhalation toxicity : Based on available data, the classification criteria are not met.

Acute dermal toxicity : Based on available data, the classification criteria are not met.

## SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by  
UK REACH Regulations SI 2019/758

### Foster™ 60-39

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	18.04.2023	100000018434	Date of first issue: 18.04.2023

Acute toxicity estimate: > 2.000 mg/kg  
Method: Calculation method

## SECTION 12: Ecological information

### 12.1 Toxicity

#### Components:

##### **diantimony trioxide:**

Toxicity to fish : LC50 (Pimephales promelas (fathead minnow)): > 80 mg/l  
Exposure time: 96 Hours  
Test Type: static test

Toxicity to algae/aquatic plants : EC50 (Pseudokirchneriella subcapitata (microalgae)): 0,63 - 0,8 mg/l  
Exposure time: 72 Hours  
Test Type: flow-through test

##### **tris(nonylphenyl) phosphite:**

Toxicity to fish : LC50 (Brachydanio rerio (zebrafish)): 10 mg/l  
Exposure time: 96 Hours  
Test Type: static test

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 0,42 mg/l  
Exposure time: 48 Hours  
Test Type: static test

M-Factor (Acute aquatic toxicity) : 1

M-Factor (Chronic aquatic toxicity) : 1

### 12.2 Persistence and degradability

No data available

### 12.3 Bioaccumulative potential

No data available

### 12.4 Mobility in soil

#### Product:

Mobility : Medium: Soil  
Remarks: Do not allow product to reach ground water, water bodies or sewage system.

## SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758

### Foster™ 60-39

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	18.04.2023	100000018434	Date of first issue: 18.04.2023

---

#### 12.5 Results of PBT and vPvB assessment

**Product:**

Assessment : This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

#### 12.6 Other adverse effects

No data available

---

## SECTION 13: Disposal considerations

### 13.1 Waste treatment methods

Product : Do not dispose of with domestic refuse.  
Do not dispose of waste into sewer.  
Hand over to disposers of hazardous waste.  
The generation of waste should be avoided or minimized wherever possible.  
Incinerate under controlled conditions in accordance with all local and national laws and regulations.  
Disposal must be made according to official regulations.

Contaminated packaging : Disposal must be made according to official regulations.

---

## SECTION 14: Transport information

### 14.1 UN number

ADN : UN 1139  
ADR : UN 1139  
RID : UN 1139  
IMDG : UN 1139  
IATA : UN 1139  
Not permitted for transport

### 14.2 UN proper shipping name

ADN : COATING SOLUTION  
ADR : COATING SOLUTION

## SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by  
UK REACH Regulations SI 2019/758

### Foster™ 60-39

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	18.04.2023	100000018434	Date of first issue: 18.04.2023

---

**RID** : COATING SOLUTION

**IMDG** : COATING SOLUTION  
(Hydrocarbons C9, aromatics, Chlorinated paraffins)

**IATA** : COATING SOLUTION  
Not permitted for transport

#### 14.3 Transport hazard class(es)

**ADN** : 3

**ADR** : 3

**RID** : 3

**IMDG** : 3

**IATA (Cargo)** : 3

**IATA\_P (Passenger)** : Not permitted for transport

#### 14.4 Packing group

**ADN**

Packing group : III

Classification Code : F1

Hazard Identification Number : 30

Labels : 3

**ADR**

Packing group : III

Classification Code : F1

Hazard Identification Number : 30

Labels : 3

Tunnel restriction code : (D/E)

Remarks : (Packing group III, and Tunnel restriction code 'E', if content of packaging ≤ 450l, according to 2.2.3.1.4 ADR)

**RID**

Packing group : III

Classification Code : F1

Hazard Identification Number : 30

Labels : 3

Remarks : (Packing group III, if content of packaging ≤ 450l, according to 2.2.3.1.4 RID)

**IMDG**

Packing group : III

Labels : 3

EmS Code : F-E, S-E

Remarks : (Packing group III, if content of packaging ≤ 450l, according

## SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758

### Foster™ 60-39

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	18.04.2023	100000018434	Date of first issue: 18.04.2023

to 2.3.2.2 IMDG)

**IATA (Cargo)**  
Remarks : Not permitted for transport  
: (Packing group III, if content of packaging ≤ 30l, according to 3.3.3.1.1 IATA)

**IATA\_P (Passenger)**  
Remarks : Not permitted for transport  
: (Packing group III, if content of packaging ≤ 30l, according to 3.3.3.1.1 IATA)

#### 14.5 Environmental hazards

**ADN**  
Environmentally hazardous : no

**ADR**  
Environmentally hazardous : yes

**RID**  
Environmentally hazardous : yes

**IMDG**  
Marine pollutant : yes

#### 14.6 Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

#### 14.7 Transport in bulk according to Annex II of Marpol and the IBC Code

Not applicable for product as supplied.

## SECTION 15: Regulatory information

### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Relevant EU provisions transposed through retained EU law

REACH - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles (Annex XVII) : Conditions of restriction for the following entries should be considered:  
Number on list 3

diantimony trioxide  
2,2'-[(1-methylethylidene)bis(4,1-phenyleneoxymethylene)]bisoxirane  
tris(nonylphenyl) phosphite  
2-(propyloxy)ethanol

## SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758

### Foster™ 60-39

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	18.04.2023	100000018434	Date of first issue: 18.04.2023

---

REACH - Candidate List of Substances of Very High Concern for Authorisation (Article 59) : tris(nonylphenyl) phosphite

Regulation (EC) No 1005/2009 on substances that deplete the ozone layer : Not applicable

Regulation (EU) 2019/1021 on persistent organic pollutants (recast) : Not applicable

RoHS: 2011/65/EU, Restriction of Hazardous Substances : Not applicable

Council Regulation (EC) No 111/2005 laying down rules for the monitoring of trade between the Community and third countries in drug precursors : Neither banned nor restricted

Regulation (EC) No 649/2012 of the European Parliament and the Council concerning the export and import of dangerous chemicals : Not applicable

UK REACH List of substances subject to authorisation (Annex XIV) : Not applicable

Seveso III: Directive 2012/18/EU of the European Parliament and of the Council on the control of major-accident hazards involving dangerous substances.

E2 ENVIRONMENTAL HAZARDS

P5c FLAMMABLE LIQUIDS

Volatile organic compounds : Directive 2010/75/EU of 24 November 2010 on industrial emissions (integrated pollution prevention and control)  
Volatile organic compounds (VOC) content: 54,55 %, 589,1 g/l

#### The components of this product are reported in the following inventories:

REACH : On the inventory, or in compliance with the inventory

### 15.2 Chemical safety assessment

No Chemical Safety Assessment has been carried out for this mixture.

---

## SECTION 16: Other information

### Full text of H-Statements

## SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by  
UK REACH Regulations SI 2019/758

### Foster™ 60-39

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	18.04.2023	100000018434	Date of first issue: 18.04.2023

H226	: Flammable liquid and vapour.
H304	: May be fatal if swallowed and enters airways.
H312	: Harmful in contact with skin.
H315	: Causes skin irritation.
H317	: May cause an allergic skin reaction.
H319	: Causes serious eye irritation.
H335	: May cause respiratory irritation.
H336	: May cause drowsiness or dizziness.
H351	: Suspected of causing cancer.
H400	: Very toxic to aquatic life.
H410	: Very toxic to aquatic life with long lasting effects.
H411	: Toxic to aquatic life with long lasting effects.

#### Full text of other abbreviations

Acute Tox.	: Acute toxicity
Aquatic Acute	: Short-term (acute) aquatic hazard
Aquatic Chronic	: Long-term (chronic) aquatic hazard
Asp. Tox.	: Aspiration hazard
Carc.	: Carcinogenicity
Eye Irrit.	: Eye irritation
Flam. Liq.	: Flammable liquids
Skin Irrit.	: Skin irritation
Skin Sens.	: Skin sensitisation
STOT SE	: Specific target organ toxicity - single exposure
GB EH40	: UK. EH40 WEL - Workplace Exposure Limits
GB EH40 / TWA	: Long-term exposure limit (8-hour TWA reference period)

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - Agreement concerning the International Carriage of Dangerous Goods by Road; AIIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA - European Chemicals Agency; EC-Number - European Community number; ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office



## SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758

### Foster™ 60-39

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	18.04.2023	100000018434	Date of first issue: 18.04.2023

---

of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; SVHC - Substance of very high concern; TCSI - Taiwan Chemical Substance Inventory; TECl - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

#### Further information

Other information : This safety datasheet only contains information relating to safety and does not replace any product information or product specification.

Contact Point : Prepared by: Global Regulatory Department  
EU-MSDS@hbfuller.com

#### Classification of the mixture:

Flam. Liq. 3	H226
STOT SE 3	H336
STOT SE 3	H335
Aquatic Chronic 2	H411

#### Classification procedure:

Based on product data or assessment
Calculation method
Calculation method
Calculation method

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

GB / EN