

Safety data sheet
according to 1907/2006/EC, Article 31

Printing date 16.01.2024

Version number 3 (replaces version 2)

Revision: 29.09.2022

SECTION 1: Identification of the substance/mixture and of the company/undertaking

· **1.1 Product identifier**

· Trade name: **Mastic 1000 EXT A+**

· Article number: 1000-E

· **1.2 Relevant identified uses of the substance or mixture and uses advised against**

No further relevant information available.

· **Application of the substance / preparation** *Sealant*

· **1.3 Details of the supplier of the safety data sheet**

· **Manufacturer/Supplier:**

Temati B.V.

Rijnland 2

1948 RL Beverwijk

Tel: +31(0) 251 229 172

Fax: +31(0) 251 212 380

e-mail: temati@temati.com

Website: www.temati.com

· **1.4 Emergency telephone number:**

In case of emergency please contact the Dutch National Poison Control, telephone number: 0031-(0)88-755 8000 (This number is only accessible to the physician treating the patient and only in case of accidental poisoning).

SECTION 2: Hazards identification

· **2.1 Classification of the substance or mixture**

· **Classification according to Regulation (EC) No 1272/2008**

The product is not classified, according to the GB CLP regulation.

· **2.2 Label elements**

· **Labelling according to Regulation (EC) No 1272/2008** *Void*

· **Hazard pictograms** *Void*

· **Signal word** *Void*

· **Hazard statements** *Void*

· **Additional information:**

Contains mixture of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC no. 220-239-6] (3:1), 1,2-benzisothiazol-3(2H)-one. May produce an allergic reaction.

· **2.3 Other hazards**

· **Results of PBT and vPvB assessment**

· **PBT:** *Not applicable.*

· **vPvB:** *Not applicable.*

· **Determination of endocrine-disrupting properties**

The product does not contain substances with endocrine disrupting properties.

SECTION 3: Composition/information on ingredients

· **3.2 Mixtures**

· **Description:** *Mixture of acrylated copolymer dispersion, fillers and additives*

(Contd. on page 2)

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 16.01.2024

Version number 3 (replaces version 2)

Revision: 29.09.2022

Trade name: **Mastic 1000 EXT A+**

(Contd. of page 1)

Dangerous components:

CAS: 2634-33-5 EINECS: 220-120-9	1,2-benzisothiazol-3(2H)-one ◆ Acute Tox. 2, H330; ◆ Eye Dam. 1, H318; ◆ Aquatic Acute 1, H400; Aquatic Chronic 1, H410; ◆ Acute Tox. 4, H302; Skin Irrit. 2, H315; Skin Sens. 1, H317 Specific concentration limit: Skin Sens. 1; H317: C ≥ 0.05 %	<1%
CAS: 55965-84-9	mixture of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC no. 220-239-6] (3:1) ◆ Acute Tox. 3, H301; Acute Tox. 2, H310; Acute Tox. 2, H330; ◆ Skin Corr. 1C, H314; Eye Dam. 1, H318; ◆ Aquatic Acute 1, H400 (M=100); Aquatic Chronic 1, H410 (M=100); ◆ Skin Sens. 1A, H317 Specific concentration limits: Skin Corr. 1C; H314: C ≥ 0.6 % Skin Irrit. 2; H315: 0.06 % ≤ C < 0.6 % Eye Dam. 1; H318: C ≥ 0.6 % Eye Irrit. 2; H319: 0.06 % ≤ C < 0.6 % Skin Sens. 1A; H317: C ≥ 0.0015 %	<1%

Additional information: For the wording of the listed hazard phrases refer to section 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

- General information: No special measures required.
 - After inhalation: Supply fresh air; consult doctor in case of complaints.
 - After skin contact: Wash with water and soap.
 - After eye contact:
Rinse opened eye for several minutes under running water. If symptoms persist, consult a physician.
 - After swallowing: Rinse mouth with water and then drink plenty of water, consult physician immediately.
 - Information for doctor: Product is weak alkaline and after drying hardly soluble in water.
- #### 4.2 Most important symptoms and effects, both acute and delayed
- No further relevant information available.
- #### 4.3 Indication of any immediate medical attention and special treatment needed
- No further relevant information available.

SECTION 5: Firefighting measures

- 5.1 Extinguishing media
- Suitable extinguishing agents:
CO₂, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.
- 5.2 Special hazards arising from the substance or mixture No further relevant information available.
- 5.3 Advice for firefighters
- Protective equipment: Wear self-contained respiratory protective device.

SECTION 6: Accidental release measures

- 6.1 Personal precautions, protective equipment and emergency procedures
Particular danger of slipping on leaked/spilled product.
- 6.2 Environmental precautions:
Dilute with plenty of water.
Do not allow to enter sewers/ surface or ground water.
- 6.3 Methods and material for containment and cleaning up:
Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).
Collect product in waste container. Rinse floor with water.

(Contd. on page 3)

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 16.01.2024

Version number 3 (replaces version 2)

Revision: 29.09.2022

Trade name: **Mastic 1000 EXT A+**

(Contd. of page 2)

· 6.4 Reference to other sections

No dangerous substances are released.

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

SECTION 7: Handling and storage

· 7.1 Precautions for safe handling

No special measures required.

Ensure that suitable extractors are available on processing machines

· **Information about fire - and explosion protection:** *No special measures required.*

· 7.2 Conditions for safe storage, including any incompatibilities

· Storage:

· **Requirements to be met by storerooms and receptacles:** *Store in a cool, but frost-proof location.*

· **Information about storage in one common storage facility:** *Not required.*

· **Further information about storage conditions:**

Recommended storage temperature between 15 and 25°C.

· **7.3 Specific end use(s)** *No further relevant information available.*

SECTION 8: Exposure controls/personal protection

· 8.1 Control parameters

· **Ingredients with limit values that require monitoring at the workplace:**

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

· DNELs

2634-33-5 1,2-benzisothiazol-3(2H)-one

Dermal	DNEL long term	0.966 mg/kg KG/d (wrk)
	DNEL short term systemic health problems	0.345 mg/kg/d (Consumer)
Inhalative	DNEL Inhalative long terme	1.2 /mg/m ³ (Consumer)
	DNEL	6.81 mg/m ³ (wrk)

55965-84-9 mixture of: 5-chloro-2-methyl-4-isothiazolin-³-one [EC no. 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC no. 220-239-6] (3:1)

Oral	DNEL	0.09 mg/kg (Consumer)
Inhalative	DNEL Inhalative long terme	0.02 /mg/m ³ (Consumer)

· PNECs

2634-33-5 1,2-benzisothiazol-3(2H)-one

PNEC	4.99 µg/kg (Sea Water Sediment)
	49.9 µg/kg (Fresh Water Sediment)
PNEC µg/l	0.403 µg/l (Sea Water)
	4.03 µg/l (Fresh Water)
PNEC mg/kg	3 mg/kg (Soil)

55965-84-9 mixture of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC no. 220-239-6] (3:1)

PNEC mg/kg	0.01 mg/kg (Soil)
	0.027 mg/kg (Sea Water Sediment)
	0.027 mg/kg (Fresh Water Sediment)

(Contd. on page 4)

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 16.01.2024

Version number 3 (replaces version 2)

Revision: 29.09.2022

Trade name: **Mastic 1000 EXT A+**

(Contd. of page 3)

· **Additional information:** *The lists valid during manufacture were used as basis.*

· **8.2 Exposure controls**

· **Appropriate engineering controls** *No further data; see item 7.*

· **Individual protection measures, such as personal protective equipment**

· **General protective and hygienic measures:**

The usual precautionary measures are to be adhered to when handling chemicals.

· **Respiratory protection:** *Not necessary if room is well-ventilated.*

· **Hand protection**



The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Selection of the glove material is dependant on the penetration times, rates of diffusion and degradation.

· **Material of gloves**

The selection of suitable gloves does not only depend on the material, but also on further aspects of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· **Penetration time of glove material**

The exact break through time has to be established by the manufacturer of the protective gloves and has to be observed.

· **For prolonged contact gloves made of the following materials are suitable:** *Butyl rubber*

· **Eye/face protection** *Goggles recommended during refilling*

SECTION 9: Physical and chemical properties

· **9.1 Information on basic physical and chemical properties**

· **General Information**

· **Colour:** *Different according to colouring*

· **Odour:** *Characteristic*

· **Boiling point or initial boiling point and boiling range** *100 °C*

· **Flash point:** *Not applicable.*

· **pH at 21 °C** *8*

· **Viscosity:**

· **Dynamic at 21 °C:** *130 Pas (Brookfield, 20 rpm SP7)*

· **Solubility**

· **water:** *Fully miscible.*

· **Vapour pressure at 20 °C:** *23 hPa*

· **Density and/or relative density**

· **Density at 21 °C:** *1.4 g/cm³*

· **Particle characteristics** *Not applicable.*

· **9.2 Other information** *No further relevant information available.*

· **Appearance:**

· **Form:** *Paste*

· **Important information on protection of health and environment, and on safety.**

· **Auto-ignition temperature:** *Product is not self-igniting.*

· **Explosive properties:** *Product does not present an explosion hazard.*

(Contd. on page 5)

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 16.01.2024

Version number 3 (replaces version 2)

Revision: 29.09.2022

Trade name: **Mastic 1000 EXT A+**

(Contd. of page 4)

· Solvent content:	
· Organic solvents:	0.0 %
· Information with regard to physical hazard classes	
· Explosives	Void
· Flammable gases	Void
· Aerosols	Void
· Oxidising gases	Void
· Gases under pressure	Void
· Flammable liquids	Void
· Flammable solids	Void
· Self-reactive substances and mixtures	Void
· Pyrophoric liquids	Void
· Pyrophoric solids	Void
· Self-heating substances and mixtures	Void
· Substances and mixtures, which emit flammable gases in contact with water	Void
· Oxidising liquids	Void
· Oxidising solids	Void
· Organic peroxides	Void
· Corrosive to metals	Void
· Desensitised explosives	Void

SECTION 10: Stability and reactivity

- **10.1 Reactivity** *No further relevant information available.*
- **10.2 Chemical stability**
- **Thermal decomposition / conditions to be avoided:**
No decomposition if used according to specifications.
- **10.3 Possibility of hazardous reactions** *No dangerous reactions known.*
- **10.4 Conditions to avoid** *No further relevant information available.*
- **10.5 Incompatible materials:** *No further relevant information available.*
- **10.6 Hazardous decomposition products:** *No dangerous decomposition products known.*

SECTION 11: Toxicological information

- **11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008**
- **Acute toxicity** *Based on available data, the classification criteria are not met.*

LD/LC50 values relevant for classification:

55965-84-9 mixture of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC no. 220-239-6] (3:1)

Oral	LD50	64-66 mg/kg (rat)
Dermal	LD50	87.12 mg/kg (rat)

- **Skin corrosion/irritation** *Possible irritation with prolonged or frequent contact.*
- **Serious eye damage/irritation** *Based on available data, the classification criteria are not met.*
- **Respiratory or skin sensitisation** *Based on available data, the classification criteria are not met.*
- **Germ cell mutagenicity** *Based on available data, the classification criteria are not met.*
- **Carcinogenicity** *Based on available data, the classification criteria are not met.*
- **Reproductive toxicity** *Based on available data, the classification criteria are not met.*
- **STOT-single exposure** *Based on available data, the classification criteria are not met.*

(Contd. on page 6)

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 16.01.2024

Version number 3 (replaces version 2)

Revision: 29.09.2022

Trade name: **Mastic 1000 EXT A+**

(Contd. of page 5)

- **STOT-repeated exposure** *Based on available data, the classification criteria are not met.*
- **Aspiration hazard** *Based on available data, the classification criteria are not met.*
- **11.2 Information on other hazards**

- **Endocrine disrupting properties**

None of the ingredients is listed.

SECTION 12: Ecological information

- **12.1 Toxicity**

- **Aquatic toxicity:**

5965-84-9 mixture of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC no. 220-239-6] (3:1)

LC50/96h	0.28 mg/l (LM)
	0.188 mg/l (OM)
EC50/48 h	0.126 mg/l (DM)

- **12.2 Persistence and degradability** *Easily eliminable from water.*
- **Other information:**
By abiotic processes, e.g. adsorption on activated sludge the product could be eliminated largely out of the water.
- **12.3 Bioaccumulative potential** *Non significant accumulation in organisms*
- **Other information:**
Based on the structural properties of the polymeric part the product is not fully biodegradable.
- **12.4 Mobility in soil** *No further relevant information available.*
- **12.5 Results of PBT and vPvB assessment**
- **PBT:** *Not applicable.*
- **vPvB:** *Not applicable.*
- **12.6 Endocrine disrupting properties**
The product does not contain substances with endocrine disrupting properties.
- **12.7 Other adverse effects** *No further relevant information available.*
- **Behaviour in sewage processing plants:**
By adding low concentrations to the process in biological wastewater treatment installations disturbance of the degradation of activated sludge is not expected.
- **Additional ecological information:**
- **General notes:**
Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.
Do not allow large quantities to reach sewage system or surface water.
According to the criteria of the EU-classification and labelling "dangerous for environment"(93/21/EWG) the substance/ the product has to be classified as non-hazardous for the environment.
Due to available data on eliminability/decomposition and bioaccumulation potential a prolonged damage of the environment is unlikely.

SECTION 13: Disposal considerations

- **13.1 Waste treatment methods**

- **Recommendation**

Smaller quantities can be disposed of with household waste.
Small amounts may be diluted with plenty of water and washed away. Dispose of bigger amounts in accordance with Local Authority requirements.

(Contd. on page 7)

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 16.01.2024

Version number 3 (replaces version 2)

Revision: 29.09.2022

Trade name: **Mastic 1000 EXT A+**

(Contd. of page 6)

- **Uncleaned packaging:**
- **Recommendation:** *Disposal must be made according to official regulations.*
- **Recommended cleansing agents:** *Warm water, if necessary together with cleansing agents.*

SECTION 14: Transport information

· 14.1 UN number or ID number	
· ADR, ADN, IMDG, IATA	<i>Void</i>
· 14.2 UN proper shipping name	
· ADR, ADN, IMDG, IATA	<i>Void</i>
· 14.3 Transport hazard class(es)	
· ADR, ADN, IMDG, IATA	
· Class	<i>Void</i>
· 14.4 Packing group	
· ADR, IMDG, IATA	<i>Void</i>
· 14.5 Environmental hazards:	
· Marine pollutant:	<i>No</i>
· 14.6 Special precautions for user	<i>Not applicable.</i>
· 14.7 Maritime transport in bulk according to IMO instruments	<i>Not applicable.</i>
· Transport/Additional information:	<i>Not classified as hazardous under transport regulations.</i>
· UN "Model Regulation":	<i>Void</i>

SECTION 15: Regulatory information

- **15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture**
- **Directive 2012/18/EU**
- **Named dangerous substances - ANNEX I** *None of the ingredients is listed.*

· **DIRECTIVE 2011/65/EU on the restriction of the use of certain hazardous substances in electrical and electronic equipment – Annex II**

None of the ingredients is listed.

· **REGULATION (EU) 2019/1148**

· **Annex I - RESTRICTED EXPLOSIVES PRECURSORS (Upper limit value for the purpose of licensing under Article 5(3))**

None of the ingredients is listed.

· **Annex II - REPORTABLE EXPLOSIVES PRECURSORS**

None of the ingredients is listed.

· **National regulations:**

· **Waterhazard class:** *Water hazard class 1 (Self-assessment): slightly hazardous for water.*

· **15.2 Chemical safety assessment:** *A Chemical Safety Assessment has not been carried out.*

GB

(Contd. on page 8)

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 16.01.2024

Version number 3 (replaces version 2)

Revision: 29.09.2022

Trade name: **Mastic 1000 EXT A+**

(Contd. of page 7)

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- **Relevant phrases**

H301 Toxic if swallowed.
H302 Harmful if swallowed.
H310 Fatal in contact with skin.
H314 Causes severe skin burns and eye damage.
H315 Causes skin irritation.
H317 May cause an allergic skin reaction.
H318 Causes serious eye damage.
H330 Fatal if inhaled.
H400 Very toxic to aquatic life.
H410 Very toxic to aquatic life with long lasting effects.

- **Department issuing SDS: R&D department**

- **Contact: Veiligheidsafdeling / Safety department**

- **Date of previous version: 29.09.2022**

- **Version number of previous version: 2**

- **Abbreviations and acronyms:**

RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)

IATA-DGR: Dangerous Goods Regulations by the "International Air Transport Association" (IATA)

ICAO: International Civil Aviation Organisation

ICAO-TI: Technical Instructions by the "International Civil Aviation Organisation" (ICAO)

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

DNEL: Derived No-Effect Level (UK REACH)

PNEC: Predicted No-Effect Concentration (UK REACH)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

Acute Tox. 3: Acute toxicity – Category 3

Acute Tox. 4: Acute toxicity – Category 4

Acute Tox. 2: Acute toxicity – Category 2

Skin Corr. 1C: Skin corrosion/irritation – Category 1C

Skin Irrit. 2: Skin corrosion/irritation – Category 2

Eye Dam. 1: Serious eye damage/eye irritation – Category 1

Skin Sens. 1: Skin sensitisation – Category 1

Skin Sens. 1A: Skin sensitisation – Category 1A

Aquatic Acute 1: Hazardous to the aquatic environment - acute aquatic hazard – Category 1

Aquatic Chronic 1: Hazardous to the aquatic environment - long-term aquatic hazard – Category 1

- * **Data compared to the previous version altered.**