



Printing date 08.06.2020 Version number 1 Revision: 05.06.2020

SECTION 1: Identification of the substance/mixture and of the company/undertaking

- · 1.1 Product identifier
- · Trade name Foster® First Defense 40-97 EU
- · 1.2 Relevant identified uses of the substance or mixture and uses advised against
- · Product category PC8 Biocidal products
- · Application of the substance / the mixture Disinfectant
- · 1.3 Details of the supplier of the safety data sheet
- · Manufacturer/Supplier:

Temati

Rijnland 2

1948 RL Beverwijk

+31 (0)251 - 229 172

temati@temati.com

- · Informing department: Regulatory department
- · 1.4 Emergency telephone number: +44 (0) 1235 239 670 (24 hours)

SECTION 2: Hazards identification

- · 2.1 Classification of the substance or mixture
- Classification according to Regulation (EC) No 1272/2008

Met. Corr.1 H290 May be corrosive to metals.

Skin Corr. 1B H314 Causes severe skin burns and eye damage.

Eye Dam. 1 H318 Causes serious eye damage. Aquatic Acute 1 H400 Very toxic to aquatic life.

Aquatic Chronic 3 H412 Harmful to aquatic life with long lasting effects.

- · 2.2 Label elements
- · Labelling according to Regulation (EC) No 1272/2008

The product is classified and labelled according to the CLP regulation.

Hazard pictograms





GHS05 GHS09

- · Signal word Danger
- · Hazard-determining components of labelling:

2-aminoethanol

didecyldimethylammonium chloride

potassium carbonate

propan-2-ol

· Hazard statements

H290 May be corrosive to metals.

H314 Causes severe skin burns and eye damage.

H400 Very toxic to aquatic life.

H412 Harmful to aquatic life with long lasting effects.

· Precautionary statements

P260 Do not breathe mist/vapours/spray.

P280 Wear protective gloves/protective clothing/eye protection/face protection.

(Contd. on page 2)

Printing date 08.06.2020 Version number 1 Revision: 05.06.2020

Trade name Foster® First Defense 40-97 EU

(Contd. of page 1)

P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin

with water [or shower].

P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing. P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact

lenses, if present and easy to do. Continue rinsing.

P310 Immediately call a POISON CENTER/doctor.

- · 2.3 Other hazards
- · Results of PBT and vPvB assessment
- PBT: Not applicable.vPvB: Not applicable.

SECTION 3: Composition/information on ingredients

· 3.2 Chemical characterisation: Mixtures

· Description: Disinfectant

· Dangerous components:		
CAS: 584-08-7	potassium carbonate	5-<10%
EINECS: 209-529-3 Reg.nr.: 01-2119532646-36-0000	Skin Irrit. 2, H315; Eye Irrit. 2, H319; STOT SE 3,	
		F .400/
CAS: 68439-49-6	ALCOHOLS, C16-18, ETHOXYLATED Eye Irrit. 2, H319	5-<10%
CAS: 141-43-5	2-aminoethanol	5-<10%
EINECS: 205-483-3 Reg.nr.: 01-2119486455-28-0000	Skin Corr. 1B, H314; Eye Dam. 1, H318; Acute Tox. 4, H302; Acute Tox. 4, H312; Acute Tox. 4, H332; Aquatic Chronic 3, H412	
CAS: 7173-51-5 EINECS: 230-525-2 Reg.nr.: 01-2119945987-15	didecyldimethylammonium chloride Acute Tox. 3, H301; Skin Corr. 1B, H314; Eye Dam. 1, H318; Aquatic Acute 1, H400; Aquatic Chronic 2, H411	5-<10%
CAS: 67-63-0	propan-2-ol	<5%
EINECS: 200-661-7 Reg.nr.: 01-2119457558-25-0000	Flam. Liq. 2, H225; Eye Irrit. 2, H319; STOT SE 3,	\ 376

[·] Additional information For the wording of the listed hazard phrases refer to section 16.

SECTION 4: First aid measures

- · 4.1 Description of first aid measures
- · General information

Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.

· After inhalation

In case of irregular breathing or respiratory arrest provide artificial respiration.

Call a doctor immediately.

In case of unconsciousness bring patient into stable side position for transport.

· After skin contact

Immediate medical treatment necessary. Failure to treat burns can prevent wounds from healing.

· After eye contact

Rinse opened eye for several minutes under running water.

Seek immediate medical advice.

· After swallowing

Rinse out mouth and then drink plenty of water.

Do not induce vomiting; instantly call for medical help.

Instantly call for doctor.

Drink copious amounts of water and provide fresh air. Instantly call for doctor.

In case of persistent symptoms consult doctor.

(Contd. on page 3)

Printing date 08.06.2020 Version number 1 Revision: 05.06.2020

Trade name Foster® First Defense 40-97 EU

(Contd. of page 2)

· 4.2 Most important symptoms and effects, both acute and delayed

No further relevant information available.

• 4.3 Indication of any immediate medical attention and special treatment needed No further relevant information available.

SECTION 5: Firefighting measures

- · 5.1 Extinguishing media
- · Suitable extinguishing agents

Water spray

Alcohol-resistant foam

Dry sand

Use fire fighting measures that suit the environment.

Water haze

Foam

Fire-extinguishing powder

Carbon dioxide

• 5.2 Special hazards arising from the substance or mixture

No further relevant information available.

- · 5.3 Advice for firefighters
- · Protective equipment:

Wear self-contained breathing apparatus.

Do not inhale explosion gases or combustion gases.

· Additional information

Dispose of fire debris and contaminated fire fighting water in accordance with official regulations.

SECTION 6: Accidental release measures

 \cdot 6.1 Personal precautions, protective equipment and emergency procedures

Wear protective equipment. Keep unprotected persons away.

Ensure adequate ventilation

Use breathing protection against the effects of fumes/dust/aerosol.

- 6.2 Environmental precautions: Do not allow to enter drainage system, surface or ground water.
- · 6.3 Methods and material for containment and cleaning up:

Use neutralising agent.

weak acid solution

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders)

· 6.4 Reference to other sections

See Section 7 for information on safe handling

See Section 8 for information on personal protection equipment.

See Section 13 for information on disposal.

SECTION 7: Handling and storage

· 7.1 Precautions for safe handling

Ensure good ventilation/exhaustion at the workplace.

Prevent formation of aerosols.

Keep away from children

Avoid release to the environment.

Keep eye wash bottles available on working place.

Information about protection against explosions and fires:

Keep ignition sources away - Do not smoke.

Protect against electrostatic charges.

- · 7.2 Conditions for safe storage, including any incompatibilities
- · Storage
- · Requirements to be met by storerooms and containers: Keep dark, cool and dry.

(Contd. on page 4)

Printing date 08.06.2020 Version number 1 Revision: 05.06.2020

Trade name Foster® First Defense 40-97 EU

(Contd. of page 3)

- · Information about storage in one common storage facility: Not required.
- Further information about storage conditions: Keep container tightly sealed.
- · 7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

· Additional information about design of technical systems:

Please take care on national and local requirements.

· 8.1 Control parameters

· Components with critical values that require monitoring at the workplace:

CAS: 141-43-5 2-aminoethanol

WEL Short-term value: 7.6 mg/m³, 3 ppm Long-term value: 2.5 mg/m³, 1 ppm

CAS: 67-63-0 propan-2-ol

WEL Short-term value: 1250 mg/m³, 500 ppm Long-term value: 999 mg/m³, 400 ppm

- · Additional information: Based on information valid at the time of writing.
- · 8.2 Exposure controls
- · Personal protective equipment
- · General protective and hygienic measures

Keep away from food, drink and animal feedingstuffs.

Instantly remove any soiled and impregnated garments.

Wash hands during breaks and at the end of the work.

Avoid contact with the eyes and skin.

· Breathing equipment:

In case of brief exposure or low pollution (exceeding of TLV) use breathing filter apparatus. In case of intensive or longer exposure use breathing apparatus that is independent of circulating air. Not necessary if room is well-ventilated.

- · Recommended filter device for short term use: Filter A
- · Protection of hands:

Protective gloves.

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

· Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· Eve protection:

Tightly sealed safety glasses (EN166).

Face protection

· Body protection: Protective work clothing.

SECTION 9: Physical and chemical properties

- · 9.1 Information on basic physical and chemical properties
- · General Information
- Appearance:

Form: Liquid

(Contd. on page 5)

Printing date 08.06.2020 Version number 1 Revision: 05.06.2020

Trade name Foster® First Defense 40-97 EU

	(Contd. of page 4
Colour:	Yellowish
· Smell:	Characteristic
· Odour threshold:	Not determined.
· pH-value at 20 °C:	12.9
 Change in condition Melting point/freezing point: Initial boiling point and boiling range 	Not determined : Not determined
· Flash point:	68 °C
· Inflammability (solid, gaseous)	Not applicable.
· Decomposition temperature:	Not determined.
· Self-inflammability:	Product is not selfigniting.
· Explosive properties:	Product is not explosive.
· Critical values for explosion: Lower:	Not determined. Not determined.
Upper: Vapour pressure at 20 °C:	23 hPa
Density at 20 °C Relative density Vapour density	1.05 g/cm³ Not determined. Not determined.
· Evaporation rate	Not determined.
Solubility in / Miscibility with Water:	Fully miscible
· Partition coefficient: n-octanol/water:	Not determined.
· Viscosity: dynamic at 20 °C: kinematic:	30 mPas Not determined.
Solvent content:Organic solvents:9.2 Other information	11.0 % No further relevant information available.

SECTION 10: Stability and reactivity

- 10.1 Reactivity No further relevant information available.
- · 10.2 Chemical stability
- · Thermal decomposition / conditions to be avoided:

No decomposition if used according to specifications.

- · 10.3 Possibility of hazardous reactions Exothermic reaction with acids
- · 10.4 Conditions to avoid Heat
- · 10.5 Incompatible materials:

Aluminium

Strong acids

Strong alkalis (potassium and sodium hidroxide).

Oxidizing materials

· 10.6 Hazardous decomposition products: No dangerous decomposition products known

CD.

Printing date 08.06.2020 Version number 1 Revision: 05.06.2020

Trade name Foster® First Defense 40-97 EU

(Contd. of page 5)

SECTION 11: Toxicological information

- · 11.1 Information on toxicological effects
- · Acute toxicity Based on available data, the classification criteria are not met.

· LD/LC50 values that are relevant for classification:				
CAS: 6843	CAS: 68439-49-6 ALCOHOLS, C16-18, ETHOXYLATED			
Oral	LD50	>2,000 mg/kg (rat)		
CAS: 141-	CAS: 141-43-5 2-aminoethanol			
Oral	LD50	1,515 mg/kg (rat)		
Dermal	LD50	1,025 mg/kg (rbt)		
Inhalative	LC50/2h	11 mg/l (ATE)		
CAS: 717	CAS: 7173-51-5 didecyldimethylammonium chloride			
Oral	LD50	238 mg/kg (rat)		
Dermal	LD50	3,342 mg/kg (rabbit)		
CAS: 67-6	CAS: 67-63-0 propan-2-ol			
Oral	LD50	4,570 mg/kg (rat)		
Dermal	LD50	13,400 mg/kg (rab)		
Inhalative	LC50/4 h	30 mg/L (rat)		

- · Primary irritant effect:
- · Skin corrosion/irritation

Causes severe skin burns and eye damage.

- · Serious eye damage/irritation
- Causes serious eye damage.
- · Respiratory or skin sensitisation Based on available data, the classification criteria are not met.
- · CMR effects (carcinogenity, mutagenicity and toxicity for reproduction)
- · Germ cell mutagenicity Based on available data, the classification criteria are not met.
- · Carcinogenicity Based on available data, the classification criteria are not met.
- · Reproductive toxicity Based on available data, the classification criteria are not met.
- · STOT-single exposure Based on available data, the classification criteria are not met.
- · STOT-repeated exposure Based on available data, the classification criteria are not met.
- · Aspiration hazard Based on available data, the classification criteria are not met.

SECTION 12: Ecological information

- · 12.1 Toxicity
- · Aquatic toxicity: No further relevant information available.
- 12.2 Persistence and degradability No further relevant information available.
- 12.3 Bioaccumulative potential No further relevant information available.
- 12.4 Mobility in soil No further relevant information available.
- · Ecotoxical effects:
- · Remark: Harmful to fish
- · Additional ecological information:
- · General notes:

Must not reach sewage water or drainage ditch undiluted or unneutralised.

Harmful to aquatic organisms

Rinse off of bigger amounts into drains or the aquatic environment may lead to increased pH-values. A high pH-value harms aquatic organisms. In the dilution of the use-level the pH-value is considerably reduced, so that after the use of the product the aqueous waste, emptied into drains, is only low water-dangerous.

Do not allow product to reach ground water, water bodies or sewage system.

Danger to drinking water if even small quantities leak into soil.

- · 12.5 Results of PBT and vPvB assessment
- · PBT: Not applicable.

(Contd. on page 7)

Revision: 05.06.2020 Printing date 08.06.2020 Version number 1

Trade name Foster® First Defense 40-97 EU

(Contd. of page 6)

- · vPvB: Not applicable.
- 12.6 Other adverse effects No further relevant information available.

SECTION 13: Disposal considerations

- · 13.1 Waste treatment methods
- · Recommendation

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

Hand over to disposers of hazardous waste.

Incineration under approved, controlled conditions using incinerators suitable or designed for the disposal of hazardous chemical wastes, is the preferred method for disposal.

- · Uncleaned packagings: S 60 is only applicable for liquid or unreacted materials.
- · Recommendation: Disposal must be made according to official regulations.
- · Recommended cleaning agent: Water, if necessary with cleaning agent.

· 14.1 UN-Number · ADR, IMDG, IATA	UN1903	
· 14.2 UN proper shipping name · ADR	1903 DISINFECTANT, LIQUID, CORROSIV N.O.S. (didecyldimethylammonium chloric ETHANOLAMINE), ENVIRONMENTALI HAZARDOUS	
· IMDG	DISINFECTANT, LIQUID, CORROSIVE, N.O (didecyldimethylammonium chlorid ETHANOLAMINE), MARINE POLLUTANT DISINFECTANT, LIQUID, CORROSIVE, N.O (didecyldimethylammonium chlorid ETHANOLAMINE)	
· 14.3 Transport hazard class(es)	,	
· ADR, IMDG, IATA · Class · Label	8 Corrosive substances. 8	
· 14.4 Packing group · ADR, IMDG, IATA	III	
· 14.5 Environmental hazards: · Marine pollutant: · Special marking (ADR):	Product contains environmentally hazardo substances: didecyldimethylammonium chloride Symbol (fish and tree) Symbol (fish and tree)	
 14.6 Special precautions for user Kemler Number: EMS Number: Segregation groups Stowage Category Segregation Code 	Warning: Corrosive substances. 80 F-A,S-B Alkalis A SG35 Stow "separated from" SGG1-acids	
14.7 Transport in bulk according to Annex II of Marpol and the IBC Code Not applicable.		

Printing date 08.06.2020 Version number 1 Revision: 05.06.2020

Trade name Foster® First Defense 40-97 EU

	(Contd. of page 7)
· Transport/Additional information:	
ADR Limited quantities (LQ) Excepted quantities (EQ)	1L Code: E2 Maximum net quantity per inner packaging: 30 ml
Transport category Tunnel restriction code	Maximum net quantity per outer packaging: 500 ml 2 E
· IMDG · Limited quantities (LQ) · Excepted quantities (EQ) · Remarks:	1L Code: E2 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 500 ml Suitable UN approved container necessary.
· IATA · Remarks:	Suitable UN approved container necessary.
· UN "Model Regulation":	UN 1903 DISINFECTANT, LIQUID, CORROSIVE, N.O.S. (DIDECYLDIMETHYLAMMONIUM CHLORIDE, ETHANOLAMINE), 8, III, ENVIRONMENTALLY HAZARDOUS

SECTION 15: Regulatory information

- · 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture
- · Directive 2012/18/EU
- · Named dangerous substances ANNEX I None of the ingredients is listed.
- · Seveso category E1 Hazardous to the Aquatic Environment
- · Qualifying quantity (tonnes) for the application of lower-tier requirements 100 t
- · Qualifying quantity (tonnes) for the application of upper-tier requirements 200 t
- · REGULATION (EC) No 1907/2006 ANNEX XVII Conditions of restriction: 3
- · Regulation (EU) No 649/2012

CAS: 7173-51-5 didecyldimethylammonium chloride

Annex I Part 1

- · National regulations
- · Other regulations, limitations and prohibitive regulations
- · VOC (EU) in %: 11.00 % · VOC (EU) in q/l: 115.5 g/l
- · 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

These data are based on our present knowledge. However, they shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship. The data given here only applies when product used for proper application(s). The product is not sold as suitable for other applications - usage in such may cause risks not mentioned in this sheet. Do not use for other application(s) without seeking advice from manufacturer.

· Relevant phrases

H225 Highly flammable liquid and vapour.

H301 Toxic if swallowed.

H302 Harmful if swallowed.

H312 Harmful in contact with skin.

(Contd. on page 9)

(Contd. of page 8)

Safety data sheet according to 1907/2006/EC, Article 31

Version number 1 Revision: 05.06.2020 Printing date 08.06.2020

Trade name Foster® First Defense 40-97 EU

H314 Causes severe skin burns and eye damage.

H315 Causes skin irritation.

H318 Causes serious eye damage.

H319 Causes serious eye irritation.

H332 Harmful if inhaled.

H335 May cause respiratory irritation.

H336 May cause drowsiness or dizziness.

H400 Very toxic to aquatic life.

H411 Toxic to aquatic life with long lasting effects.

H412 Harmful to aquatic life with long lasting effects.

Classification according to Regulation (EC) No 1272/2008

The classification of the mixture is generally based on the calculation method using substance data according to Regulation (EC) No 1272/2008.

Contact: temati@temati.com

Abbreviations and acronyms:

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

SVHC: Substances of Very High Concern

vPvB: very Persistent and very Bioaccumulative

Flam. Liq. 2: Flammable liquids - Category 2

Met. Corr.1: Corrosive to metals - Category 1

Acute Tox. 3: Acute toxicity - oral – Category 3 Acute Tox. 4: Acute toxicity - oral – Category 4

Skin Corr. 1B: Skin corrosion/irritation - Category 1B

Skin Irrit. 2: Skin corrosion/irritation - Category 2

Eye Dam. 1: Serious eye damage/eye irritation - Category 1

Eye Irrit. 2: Serious eye damage/eye irritation - Category 2

STOT SE 3: Specific target organ toxicity (single exposure) - Category 3

Aquatic Acute 1: Hazardous to the aquatic environment - acute aquatic hazard - Category 1

Aquatic Chronic 2: Hazardous to the aquatic environment - long-term aquatic hazard - Category 2

Aquatic Chronic 3: Hazardous to the aquatic environment - long-term aquatic hazard - Category 3