

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758

Foster™ 65-05

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	06.10.2022	100000018442	Date of first issue: 06.10.2022

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier	
Trade name	: Foster™ 65-05
Product code	: Foster™ 65-05

1.2 Relevant identified uses of the substance or mixture and uses advised against

Use of the Sub- stance/Mixture	: Coating	
Recommended restrictions on use	: For industrial use only.	

1.3 Details of the supplier of the safety data sheet

Company	:	H.B. Fuller, Isar-Rakoll, S.A.
Address	:	Estrada Nacional 13 PT-4486-851 Mindelo - Vila do Conde +351 229 288 200
E-mail address of person responsible for the SDS	:	EU-MSDS@hbfuller.com

1.4 Emergency telephone number

Emergency telephone number : +44 1235 239 670 (24 hours)

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008) as amended by GB-CLP Regulation, UK
SI 2019/720, and UK SI 2020/1567)

Flammable liquids, Category 3	H226: Flammable liquid and vapour.
Specific target organ toxicity - repeated exposure, Category 1	H372: Causes damage to organs through pro- longed or repeated exposure.
Long-term (chronic) aquatic hazard, Cat- egory 3	H412: Harmful to aquatic life with long lasting effects.



According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758

Foster™ 65-05

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	06.10.2022	100000018442	Date of first issue: 06.10.2022

2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008) as amended by GB-CLP Regulation, UK SI 2019/720, and UK SI 2020/1567)

Hazard pictograms	:	
Signal word	:	Danger
Hazard statements	:	 H226 Flammable liquid and vapour. H372 Causes damage to organs through prolonged or repeated exposure. H412 Harmful to aquatic life with long lasting effects.
Supplemental Hazard Statements	:	EUH066 Repeated exposure may cause skin dryness or cracking.
Precautionary statements	:	 Prevention: P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. P243 Take precautionary measures against static discharge. P280 Wear protective gloves/ protective clothing/ eye protection/ face protection/ hearing protection. Response: P303 + P361 + P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/ shower. Storage: P403 + P235 Store in a well-ventilated place. Keep cool. Disposal: P501 Dispose of contents/ container to an approved waste disposal plant.

Hazardous components which must be listed on the label:

Hydrocarbons, C9-C12, n-alkanes, isoalkanes, cyclics, aromatics (2-25%) Hydrocarbons C9, aromatics

2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative tive and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.



According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758

Foster™ 65-05

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	06.10.2022	100000018442	Date of first issue: 06.10.2022

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Components

Chemical name	CAS-No. EC-No. Index-No. Registration number	Classification	Concentration (% w/w)
Hydrocarbons, C9-C12, n-alkanes, isoalkanes, cyclics, aromatics (2- 25%)	Not Assigned 919-446-0 01-2119458049-33- 0000	Flam. Liq. 3; H226 STOT SE 3; H336 (Central nervous system) STOT RE 1; H372 (Central nervous system) Asp. Tox. 1; H304 Aquatic Chronic 2; H411	>= 10 - < 20
Hydrocarbons C9, aromatics	64742-95-6 265-199-0 649-356-00-4 01-2119455851-35- 0000	Flam. Liq. 3; H226 STOT SE 3; H336 (Central nervous system) STOT SE 3; H335 (Respiratory sys- tem) Asp. Tox. 1; H304 Aquatic Chronic 2; H411	>= 2,5 - < 10
methanol	67-56-1 200-659-6 603-001-00-X 01-2119392409-28- 0000	Flam. Liq. 2; H225 Acute Tox. 3; H301 Acute Tox. 3; H331 Acute Tox. 3; H311 STOT SE 1; H370	>= 1 - < 3
Quaternary ammonium compounds, dicoco alkyldimethyl, chlorides	61789-77-3 263-087-6	Acute Tox. 4; H302 Skin Corr. 1B; H314 Aquatic Acute 1; H400	>= 0,25 - < 1
diantimony trioxide	1309-64-4 215-175-0 051-005-00-X 01-2119475613-35- 0000	Carc. 2; H351	>= 0,1 - < 1

For explanation of abbreviations see section 16.



According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758

Foster™ 65-05

Version 1.0	Revision Date: 06.10.2022	SDS Number: 100000018442	Date of last issue: - Date of first issue: 06.10.2022
SECTIO	N 4: First aid meas	ures	
4.1 Desci	ription of first aid me	asures	
Gene	eral advice	Move the v Show this s Symptoms	s, remove clothes. In to fresh air. In afety data sheet to the doctor in attendance. In poisoning may even occur after several hours; In edical observation for at least 48 hours after the
lf inh	aled	medical att	inconsciousness bring patient into stable side posi-
In ca	se of skin contact	removing a	nmediately with soap and plenty of water while Il contaminated clothes and shoes. ion persists, call a physician.
In ca	se of eye contact		with water at least 15 minutes. Get medical atten- ritation develops or persists.
If sw	allowed	Rinse mout If conscious Do NOT inc	Ily swallowed obtain immediate medical attention. h with water. s, drink plenty of water. duce vomiting. s persist, call a physician.

4.2 Most important symptoms and effects, both acute and delayed

None known.

4.3 Indication of any immediate medical attention and special treatment needed

- Treatment
- : No further relevant information available.

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media	:	Use extinguishing measures that are appropriate to local cir- cumstances and the surrounding environment. Water mist Foam Dry powder Carbon dioxide (CO2)

Unsuitable extinguishing : Water with a full water jet



According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758

Foster™ 65-05

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	06.10.2022	10000018442	Date of first issue: 06.10.2022

media

5.2 Special hazards arising from the substance or mixture

Specific hazards during fire- : No further relevant information available. fighting

5.3 Advice for firefighters

Special protective equipment for firefighters	:	No special protective measures against fire required.
Further information	:	In the event of fire, wear self-contained breathing apparatus. Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations. Collect contaminated fire extinguishing water separately. This must not be discharged into drains.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions	:	Remove all sources of ignition. Use personal protective equipment. Use breathing protection against the effects of fumes/dust/aerosol. Evacuate personnel to safe areas. Ensure adequate ventilation.
----------------------	---	--

6.2 Environmental precautions

Environmental precautions	:	The product should not be allowed to enter drains, water courses or the soil. Prevent the material from reaching sewage system, holes and cellars. If the product contaminates rivers and lakes or drains inform respective authorities.
---------------------------	---	---

6.3 Methods and material for containment and cleaning up

Methods for cleaning up	:	Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust). Non-sparking tools should be used. Ensure adequate ventilation. Send for recovery or disposal in suitable containers. Dispose of contaminated material as waste according to sec- tion 13.
-------------------------	---	---



According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758

Foster[™] 65-05

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	06.10.2022	10000018442	Date of first issue: 06.10.2022

6.4 Reference to other sections

Refer to protective measures listed in sections 7 and 8., For disposal considerations see section 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Advice on safe handling :	Avoid formation of dust and aerosols. Use only with adequate ventilation. Take note of emission threshold. Use solvent-proof equipment. Ensure that suitable extractors are available on processing machines. Handle with care. Keep eye wash bottle available on working place. Avoid release to the environment. Keep away from children.
Advice on protection against : fire and explosion	Keep product and empty container away from heat and sources of ignition. Do not smoke. Take measures to prevent the build up of electrostatic charge. May form explosive mix- tures in air. Highly volatile, flammable constituents are re- leased during processing. In the event of fire and/or explosion do not breathe fumes. Keep breathing equipment ready. Have fire extinguishing equipment ready in case of nearby fire.
7.2 Conditions for safe storage, in	cluding any incompatibilities
Requirements for storage : areas and containers	Keep dark, cool and dry. Store in cool place.
Further information on stor-	Keep containers tightly closed in a dry, cool and well-

7.3 Specific end use(s)

age conditions

Specific use(s)

: No further relevant information available.

ventilated place. Store in a cool place. Heat will increase

pressure and may lead to the container exploding.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational Exposure Limits

	Components	CAS-No.	Value type (Form of exposure)	Control parameters	Basis
[methanol	67-56-1	TWA	200 ppm	GB EH40



According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758

Foster™ 65-05

Version 1.0	Revision Da 06.10.2022			ate of last issue: - ate of first issue: 06.10.2022			
				266 mg/m3			
				rbed through the skin. The as			
		stances are th	nose for which there	are concerns that dermal abs	sorption will		
		lead to systen	nic toxicity.				
			STEL	250 ppm	GB EH40		
				333 mg/m3			
		Further inform	nation: Can be abso	rbed through the skin. The as	signed sub-		
		stances are those for which there are concerns that dermal absorption will					
		lead to systen	nic toxicity.				
			TWA	200 ppm	2006/15/EC		
				260 mg/m3			
		Further inform through the sl		entifies the possibility of signi	ficant uptake		
diantii	mony trioxide	1309-64-4	TWA	0,5 mg/m3 (antimony)	GB EH40		
		Further information: Where no specific short-term exposure limit is listed, a					
		figure three tir	nes the long-term e	xposure limit should be used.			
			TWA	0,5 mg/m3	GB EH40		
				(antimony)			
				ecific short-term exposure lim xposure limit should be used.			

8.2 Exposure controls

Engineering measures

Please take care on national and local requirements.

Personal protective equipment

Eye protection : Tightly fitting safety goggles

Hand protection

Remarks : The glove material has to be impermeable and resistant to the product/the substance/the preparation. The exact break through time can be obtained from the protective glove producer and this has to be observed. The gloves need to be disposed after the penetration time and replaced by new ones. Apply skin protectant before working with gloves to avoid skin swellings and use a skin cleansing and skincare product after the work.

For the permanent contact gloves made of the following



According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758

Foster™ 65-05

Version 1.0	Revision Date: 06.10.2022		DS Number: 00000018442	Date of last issue: - Date of first issue: 06.10.2022
			a sturdy overglov ed in combination	itable: e to the chemical preparation is necessary, e against mechanical strain is recommend- with the Barrier 02-100 underglove from ppliers (penetration time: 480 min).
			gloves made of	ent contact of a maximum of 15 minutes the following materials are suitable: imum thickness: 0.7 mm; penetration time:
			ing materials are	om splashes gloves made of the follow- e suitable: hickness 0.12 mm), Disposable gloves with
				the chemical preparation, take the dispos- off immediately and put on a new disposable
Skir	and body protection	:	Protective clothin	g
Res	piratory protection	:	tilation is provided exposures are wir In case of brief ex- use breathing filte In case of intensiv ratus that is indep	rotection unless adequate local exhaust ven- d or exposure assessment demonstrates that thin recommended exposure guidelines. (posure or low pollution (exceeding of TLV) er apparatus. ve or longer exposure use breathing appa- bendent of circulating air. ble extractors are available on processing
F	Filter type	:	Type A (A)	
Prot	ective measures	:	Instantly remove Wash hands befor product. Avoid contact with	food, drink and animal feedingstuffs. any soiled and impregnated garments. are breaks and immediately after handling the in the eyes and skin. Flothing separately.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

: liquid

Appearance



According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758

Foster™ 65-05

Ver 1.0	sion	Revision Date: 06.10.2022		S Number:)000018442	Date of last issue: - Date of first issue: 06.10.2022
	Colour		:	black	
	Odour		:	characteristic	
	Odour	Threshold	:	is not determined	1
	рН		:	substance/mixtu	re is non-polar/aprotic
	Melting	point/freezing point	:	is not determined	ł
	Boiling	point/boiling range	:	135 °C	
	Flash p	point	:	> 30 °C	
	Evapor	ation rate	:	is not determined	ł
		explosion limit / Upper ability limit	:	Upper explosion 7 %(V)	limit
		explosion limit / Lower ability limit	:	Lower explosion 0,6 %(V)	limit
	Vapour	pressure	:	27 hPa (20 °C)	
				15 hPa (50 °C)	
	Relativ	e vapour density	:	is not determined	1
	Density	/	:	1,16 g/cm³ (20 °0	C)
	Solubili Wat	ity(ies) ter solubility	:	not miscible or d	fficult to mix
	Partitio octanol	n coefficient: n- I/water	:	no data available	
	Auto-ig	nition temperature	:	is not determined	1
	Decom	position temperature	:	Not applicable	
	Viscosi Visc	ty cosity, dynamic	:	3.400 mPa.s (20	°C)
	Viso	cosity, kinematic	:	is not determined	1
	Explosi	ive properties	:	Product is not ex vapour/air mixtur	plosive. However, formation of explosive es is possible.



According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758

Foster™ 65-05

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	06.10.2022	100000018442	Date of first issue: 06.10.2022

9.2 Other information

No data available

SECTION 10: Stability and reactivity

10.1 Reactivity

No further relevant information available.

10.2 Chemical stability

No decomposition if used according to the specifications.

10.3 Possibility of hazardous reactions

Hazardous reactions	:	Develops readily flammable vapours/fumes.
10.4 Conditions to avoid Conditions to avoid	:	No further relevant information available.
10.5 Incompatible materials		

Materials to avoid : No further relevant information available.

10.6 Hazardous decomposition products

No hazardous decomposition products are known.

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Acute toxicity

Product:

Acute oral toxicity	:	Acute toxicity estimate (Rat): 98.917 mg/kg Based on available data, the classification criteria are not met.
		Acute toxicity estimate: > 2.000 mg/kg Method: Calculation method
Acute inhalation toxicity	:	Based on available data, the classification criteria are not met.
		Acute toxicity estimate: > 20 mg/l Exposure time: 4 h Test atmosphere: vapour Method: Calculation method



According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758

Foster™ 65-05

Version 1.0	Revision Date: 06.10.2022	SDS Number: 100000018442	Date of last issue: - Date of first issue: 06.10.2022
Acute dermal toxicity		: Based on availa	able data, the classification criteria are not met.
		Acute toxicity e Method: Calcul	stimate: > 2.000 mg/kg ation method

SECTION 12: Ecological information

12.1 Toxicity

Components:

diantimony trioxide:	
Toxicity to fish :	LC50 (Pimephales promelas (fathead minnow)): > 80 mg/l Exposure time: 96 h Test Type: static test
Toxicity to algae/aquatic : plants	EC50 (Pseudokirchneriella subcapitata (microalgae)): 0,63 - 0,8 mg/l Exposure time: 72 h Test Type: flow-through test
12.2 Persistence and degradability	
No data available	
12.3 Bioaccumulative potential	
No data available	
12.4 Mobility in soil	

Product:

Mobility

: Medium: Soil Remarks: Do not allow product to reach ground water, water bodies or sewage system.

12.5 Results of PBT and vPvB assessment

Product: Assessment

 This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

12.6 Other adverse effects

No data available



According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758

Foster™ 65-05

Version Revision E 1.0 06.10.202		Date of last issue: - Date of first issue: 06.10.2022
--	--	--

SECTION 13: Disposal considerations

13.1 Waste treatment methods	
Product	 Do not dispose of with domestic refuse. Do not dispose of waste into sewer. Hand over to disposers of hazardous waste. The generation of waste should be avoided or minimized wherever possible. Incinerate under controlled conditions in accordance with all local and national laws and regulations. Disposal must be made according to official regulations.
Contaminated packaging	: Disposal must be made according to official regulations.

SECTION 14: Transport information

14.1 UN number

ADN	:	UN 1133
ADR	:	UN 1133
RID	:	UN 1133
IMDG	:	UN 1133
ΙΑΤΑ	:	UN 1133
14.2 UN proper shipping name		
ADN	:	ADHESIVES
ADR	:	ADHESIVES
RID	:	ADHESIVES
IMDG	:	ADHESIVES
ΙΑΤΑ	:	Adhesives
14.3 Transport hazard class(es)		
ADN	:	3
ADR	:	3
RID	:	3
IMDG	:	3
ΙΑΤΑ	:	3
44 4 Decking group		

14.4 Packing group



According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758

Foster™ 65-05

Version Revision Date: 1.0 06.10.2022		last issue: - first issue: 06.10.2022
ADN Packing group Classification Code Hazard Identification Number Labels Remarks	 III F1 30 3 Product is not subject to A content of 450 litres (according) 	DR in containers with a maximum rding to 2.2.3.1.5.1 ADR)!
ADR Packing group Classification Code Hazard Identification Number Labels Tunnel restriction code Remarks	 III F1 30 3 (D/E) Product is not subject to A content of 450 litres (according) 	DR in containers with a maximum rding to 2.2.3.1.5.1 ADR)!
RID Packing group Classification Code Hazard Identification Number Labels Remarks	 III F1 30 3 Product is not subject to A content of 450 litres (according) 	DR in containers with a maximum rding to 2.2.3.1.5.1 ADR)!
IMDG Packing group Labels EmS Code	: III : 3 : F-E, S-D	
IATA (Cargo) Packing instruction (cargo aircraft) Packing instruction (LQ) Packing group Labels IATA_P (Passenger)	 366 Y344 III Flammable Liquids 	
Packing instruction (passen- ger aircraft) Packing instruction (LQ) Packing group Labels 14.5 Environmental hazards	: 355 : Y344 : III : Flammable Liquids	

ADN

Environmentally hazardous : no



According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758

Foster™ 65-05

Version 1.0	Revision Date: 06.10.2022		S Number: 0000018442	Date of last issue: - Date of first issue: 06.10.2022
ADR Enviro	nmentally hazardous	:	no	
RID Enviro	nmentally hazardous	:	no	
IMDG Marine	e pollutant	:	no	

14.6 Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

14.7 Transport in bulk according to Annex II of Marpol and the IBC Code

Not applicable for product as supplied.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Relevant EU provisions transposed through retained EU law

REACH - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles (Annex XVII)		Conditions of restriction for the fol- lowing entries should be considered: Number on list 3
		methanol (Number on list 69)
REACH - Candidate List of Substances of Very High Concern for Authorisation (Article 59).	:	Not applicable
Regulation (EC) No 1005/2009 on substances that deplete the ozone layer	:	Not applicable
Regulation (EU) 2019/1021 on persistent organic pollu- tants (recast)	:	Not applicable
RoHS: 2011/65/EU, Restriction of Hazardous Substances	:	Not applicable
Council Regulation (EC) No 111/2005 laying down rules for the monitoring of trade between the Community and third countries in drug precursors	:	Neither banned nor restricted
Regulation (EC) No 649/2012 of the European Parlia- ment and the Council concerning the export and import	:	Not applicable



According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758

Foster™ 65-05

Version 1.0	า	Revision Date: 06.10.2022		DS Number: 00000018442	Date of last issue: - Date of first issue: 06.10.2022
of	dang	erous chemicals			
	K REA	ACH List of substances XIV)	s su	bject to authorisation	on : Not applicable
	ajor-a	III: Directive 2012/18/ ccident hazards involv		•	
22	2			Methanol	
Vo	olatile	organic compounds	:	emissions (integra	/EU of 24 November 2010 on industrial ated pollution prevention and control) ompounds (VOC) content: 19,9 %, 230,8 g/l
				2	/EU of 24 November 2010 on industrial ated pollution prevention and control)
Th	ne col	mponents of this pro	duc	ct are reported in t	he following inventories:
RE	EACH		:	On the inventory,	or in compliance with the inventory

15.2 Chemical safety assessment

No Chemical Safety Assessment has been carried out for this mixture.

SECTION 16: Other information

Full text of H-Statements

H226:H301:H302:H304:H311:H314:H331:H335:H336:H351:H370:	Highly flammable liquid and vapour. Flammable liquid and vapour. Toxic if swallowed. Harmful if swallowed. May be fatal if swallowed and enters airways. Toxic in contact with skin. Causes severe skin burns and eye damage. Toxic if inhaled. May cause respiratory irritation. May cause drowsiness or dizziness. Suspected of causing cancer. Causes damage to organs.
H372 :	Causes damage to organs through prolonged or repeated exposure if inhaled.
H400 :	Very toxic to aquatic life.
H411 :	Toxic to aquatic life with long lasting effects.



According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758

Foster™ 65-05

Version 1.0	Revision Date: 06.10.2022		9S Number: 0000018442	Date of last issue: - Date of first issue: 06.10.2022	
Full te	xt of other abbrevia	tions			
Acute Tox.		:	Acute toxicity		
Aquatic Acute		:	Short-term (acute) aquatic hazard		
Aquatic Chronic		:	Long-term (chronic) aquatic hazard		
Asp. Tox.		:	Aspiration hazard		
Carc.		:	Carcinogenicity		
Flam. Liq.		:	Flammable liquids		
Skin Corr.		:	Skin corrosion		
STOT RE		:	Specific target organ toxicity - repeated exposure		
STOT SE		:	Specific target organ toxicity - single exposure		
2006/15/EC		:	Europe. Indicative occupational exposure limit values		
GB EH40		:	UK. EH40 WEL - Workplace Exposure Limits		
2006/15/EC / TWA		:	Limit Value - eight hours		
GB EH40 / TWA		:	Long-term exposure limit (8-hour TWA reference period)		
GB EH40 / STEL		:	Short-term exposure limit (15-minute reference period)		

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways: ADR - Agreement concerning the International Carriage of Dangerous Goods by Road: AIIC - Australian Inventory of Industrial Chemicals: ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA -European Chemicals Agency; EC-Number - European Community number; ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; SVHC - Substance of very high concern; TCSI - Taiwan Chemical Substance Inventory; TECI -Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative



According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758

Foster™ 65-05

Version 1.0	Revision Date: 06.10.2022	SDS Number: 100000018442	Date of last issue: - Date of first issue: 06.10.2022		
Furth	er information				
Other information		safety and does	: This safety datasheet only contains information relating to safety and does not replace any product information or product specification.		
Contact Point			: Prepared by: Global Regulatory Department EU-MSDS@hbfuller.com		
Classification of the mixture:			Classification procedure:		
Flam.	Liq. 3	H226	Based on product data or assessment		
STOT	RE 1	H372	Calculation method		
Aquat	tic Chronic 3	H412	Calculation method		

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

GB / EN