

Technical Data Sheet



Power Spray



Professional aerosol spray adhesive

- Multipurpose adhesive
- Fast Tack
- Contains no dichloromethane or CFC's and HCFC's
- Powerful, durable bond





POWER SPRAY

POWER SPRAY is a professional aerosol adhesive for easy, clean, economical adhesion of a large range of materials. It is economical in use, has a foaming formula (low soak in) and adjustable spray nozzle. Power Spray[™] contains no dichloromethane or CFC's and HCFC's and will produce a powerful, durable bond.

Adhesion

Professional aerosol adhesive, for fast, clean adhesion of:

Plastics (compatibility to be tested), rubber, foam and mineral fibre insulants, paper, fabrics, cork, carpeting, etc., either to themselves or onto substrates of metal (not on copper or zinc), wood, concrete, etc..

Advantages

POWER SPRAY offers many advantages to conventional methods of adhesion: Powerful, durable bond Foaming formula, low "soak-in" Economical use No hardened brushes Easy to use Permanent or temporary bonding

Application

Permanent bond:

If one surface is porous, apply POWER SPRAY to one side only and press surfaces firmly together. For 2 non-porous surfaces, apply POWER SPRAY to both sides, allow 5-10 minutes open time and then bring surfaces together firmly.

Temporary bond, or with self-adhesive properties: Apply POWER SPRAY to one side only. After 3-5 minutes "open time" it has self-adhesive properties.

Technical Data

Composed of	Styrene Butadiene Rubber (SBR) in solvent
Coverage	Area (Dry layer 36 tot 18 gm/ m ²): 2,5 to 5 m ² - 25 mm/ can
-	Strip (25mm wide): 100 - 200 lin. m
Application temperature	+5 to +30°C
Operating temperature	-10 to +40°C
Colour	Yellow/ gold
Solids content	ca. 25% (weight)
Container	Aerosol
Storage limits	In clean, dry, dark space at +5 to +25°C
-	In unopened packing for 12 months